

(주)카스 제품 가격표



(단위 : 원 /VAT 별도)



\* 유통형 전자저울 (Price Computing)

제품사진	제품명	CAPA	1눈의값	대리점가	직판가	소비자가	비 고
	AP-1(15EX)	15kg	2g/5g	210,000	230,000	340,000	
	AP-1(30EX)	30kg	5g/10g	228,000	250,000	360,000	
	ER PLUS-15CB(LCD)	15kg	2g/5g	197,000	220,000	320,000	충방전 타입
	ER PLUS-30CB(LCD)	30kg	5g/10g	203,000	220,000	320,000	
	ER PLUS-15CBP(LCD)	15kg	2g/5g	210,000	230,000	340,000	POLE-TYPE
	EB-15WS	15kg	2g/5g	369,000	410,000	590,000	방수형 유통저울 (Low Platform)
	EB-30WS	30kg	5g/10g	369,000	410,000	590,000	
	EB-60WL	60kg	10g/20g	394,000	430,000	630,000	방수형 유통저울 (Large Plarform)
	EB-150WL	150kg	20g/50g	394,000	430,000	630,000	

\* 라벨프린터용 전자저울 (Printing Scale)

(단위 : 원 /VAT 별도)

제품사진	제품명	CAPA	1눈의값	대리점가	직판가	소비자가	비 고
	CL3000-15B	15kg	2g/5g	503,000	550,000	800,000	
	CL3000-15P	15kg	2g/5g	517,000	570,000	830,000	
	CL5200N-15B	15kg	2g/5g	738,000	810,000	1,180,000	
	CL5200N-30B	30kg	5g/10g	776,000	850,000	1,240,000	
	CL5200N-15P	15kg	2g/5g	738,000	810,000	1,180,000	
	CL5200N-30P	30kg	5g/10g	776,000	850,000	1,240,000	
	CL5500N-15B(T)	15kg	2g/5g	960,000	1,060,000	1,540,000	독립형 이력관리용 유선통신 기본
	CL5500N-30B(T)	30kg	5g/10g	1,022,000	1,120,000	1,640,000	
	CL5500N-150B(T)	150kg	20g/50g	1,231,000	1,350,000	1,970,000	
	CL5500N-15P(T)	15kg	2g/5g	1,022,000	1,120,000	1,640,000	
	CL5500N-30P(T)	30kg	5g/10g	1,046,000	1,150,000	1,670,000	
	CL5500N-150P(T)	150kg	20g/50g	1,293,000	1,420,000	2,070,000	
	CL5500N-15D	15kg	2g/5g	1,107,000	1,220,000	1,770,000	네트워크 Scale
	CL7200-15 (유선)	15kg	2g/5g	1,293,000	1,420,000	2,070,000	유선 통신
	CL7200-15 (무선)	15kg	2g/5g	1,416,000	1,560,000	2,270,000	무선 통신
	CL7200-150	150kg	20g/50g	1,539,000	1,690,000	2,460,000	유선 통신

CL8000-셀프 (pos 단말기 적용)	CL8000-PCA(15")	15kg	2g/5g	1,846,000	2,030,000	2,950,000	pc : 포스뱅크
	CL8000-PCA(15",15")	15kg	2g/5g	2,092,000	2,300,000	3,350,000	펌웨어 無
	CL8000-PCA(15",9.7")	15kg	2g/5g	1,969,000	2,170,000	3,150,000	
CL8000 (저울용) 출시예정	B	15kg	2g/5g	1,477,000	1,620,000	2,360,000	
	U	15kg	2g/5g	1,662,000	1,830,000	2,660,000	
	SU	15kg	2g/5g	1,600,000	1,760,000	2,560,000	
LAN CARD		무선 랜 카드		185,000	200,000	300,000	무선통신 제품에 사용
	MS-5145(K/W)			136,000	150,000	220,000	HAND SCANNER(CL5500)
	MS-5145(USB)	Option		136,000	150,000	220,000	HAND SCANNER(CL7200)
	VT300(USB)	Option		136,000	150,000	220,000	
	TPH	Z4M		407,000	450,000	650,000	해상도 200dpi
	TPH	ZM-400		407,000	450,000	650,000	해상도 200dpi
	TPH	CAS-CL-TYPE		163,000	180,000	260,000	공용

\* 고중량 정밀 전자저울 (Bench Scale)

(단위 : 원 /VAT 별도)

제품사진	제품명	CAPA	1눈의값	대리점가	직판가	소비자가	비 고
	DB-60H	60kg	10g	308,000	340,000	490,000	
	DB-1(150kg)	150kg	20g/50g	295,000	320,000	470,000	
	DB-1(200kg)	200kg	50g	302,000	330,000	480,000	
	ND-300E	300kg	100g	554,000	610,000	890,000	Larger Platform
	DW-150	150kg	20g/50g	320,000	350,000	510,000	Body platform(SPS-W)
	DL-100N	100kg	50g	284,000	310,000	450,000	AC ADAPTOR 사용
	HB-30	30kg	2g	369,000	410,000	590,000	고분해 : 1 / 15,000 충전 Battery LCD Display
	HB-75	75kg	5g	382,000	420,000	610,000	
	HB-150	150kg	10g	382,000	420,000	610,000	
	HB-250	250kg	20g	394,000	430,000	630,000	
	PB-30	30kg	5g/10g	203,000	220,000	320,000	Portable Bench
	PB-60	60kg	10g/20g	203,000	220,000	320,000	
	PB-150	150kg	20g/50g	203,000	220,000	320,000	
	PB-200	200kg	50g/100g	203,000	220,000	320,000	
	PB II-30	30kg	5g/10g	197,000	220,000	320,000	Portable Bench (X-Bee 포함) 350*350
	PB II-60	60kg	10g/20g	197,000	220,000	320,000	
	PB II-150	150kg	20g/50g	197,000	220,000	320,000	
	SPS-60W	60kg	420*510	221,000	240,000	350,000	방수형 BODY
	SPS-150W	150kg		221,000	240,000	350,000	

\* 고중량 정밀 전자저울 (Bench Scale)

(단위 : 원 /VAT 별도)

제품사진	제품명	CAPA	1눈의값	대리점가	직판가	소비자가	비 고
	DBII-150F(VFD)	150kg	20g/50g	357,000	390,000	570,000	방수형 전자저울 충전 Battery
	DBII-60RB(LCD)	60kg	10g/20g	333,000	370,000	530,000	
	DBII-150RB(LCD)	150kg	20g/50g	333,000	370,000	530,000	
	BW-1N(6RB)	6kg	2g	449,000	490,000	720,000	방수형 전자저울 충전 Battery
	BW-1N(15RB)	15kg	5g	449,000	490,000	720,000	
	BW-1N(30RB)	30kg	10g	449,000	490,000	720,000	
	BW-1N(60RB)	60kg	20g	505,000	560,000	810,000	
	BW-1N(150RB)	150kg	50g	505,000	560,000	810,000	
	CWP-60S-C	60kg	10 g	677,000	740,000	1,080,000	방수형 전자저울 충전 Battery
	CWP-150S-C	150kg	50 g	677,000	740,000	1,080,000	
	CK200SC-30	30kg	5g/10g	923,000	1,020,000	1,480,000	I/D : CI-200SC 방수형 전자저울 RS-232C+방수커넥터 옵션
	CK200SC-60	60kg	10g/20g	984,000	1,080,000	1,570,000	
	CK200SC-150	150kg	20g/50g	984,000	1,080,000	1,570,000	
	CK200A-300	300kg	50g/100g	677,000	740,000	1,080,000	SPS7080 적용제품  CI-200A 인디케이터 포함






\* 잔반저울 및 음성 선별기, 대차저울

(단위 : 원 /VAT 별도)

제품사진	제품명	CAPA	1눈의값	대리점가	직판가	소비자가	비 고
	CK200SF-6 (잔반저울)	6kg	1g/2g	591,000	650,000	950,000	부저타입
	FS PLUS-250 (과일선별기)	60 kg	10 g	468,000	510,000	750,000	음성 선별기 LCD Display
	FS PLUS-250S (딸기선별기)	6 kg	1 g	517,000	570,000	830,000	딸기 선별기 LCD Display
	CWP-60	60 kg	10 g	1,107,000	1,220,000	1,770,000	이동형 대차 스케일 INDICAOR : CI-200A 주문형제품
	CWP-150	150 kg	50 g	1,107,000	1,220,000	1,770,000	
	CWP-60SW-C	60 kg	10 g	1,293,000	1,420,000	2,070,000	이동형 대차 스케일 무선타입 주문형제품
	CWP-150SW-C	150 kg	50 g	1,293,000	1,420,000	2,070,000	
	CD-1020Z			530,000	580,000	850,000	무선 보조디스플레이 RS-232C 통신 가능





\* 단순 중량 전자저울 (Simple Weighing Scale)

(단위 : 원 /VAT 별도)

제품사진	제품명	CAPA	1눈의값	대리점가	직판가	소비자가	비 고
	AD-2.5	2.5kg	0.5g	234,000	260,000	370,000	
	AD-5	5kg	1g	234,000	260,000	370,000	
	AD-10	10kg	2g	234,000	260,000	370,000	
	AD-30	30kg	5g	246,000	270,000	390,000	
	AD-15T	15kg	10g	271,000	300,000	430,000	유아용 체중계
	PW-II(5kg)	5 kg	2g	185,000	200,000	300,000	Stainless Body
	EC-3D	3 kg	0.2g	271,000	300,000	430,000	OPTION : PRINT/AUX DISPLAY PRINT : DLP/BP-DT-4 AUX DISPLAY : CD-3020
	EC-6D	6 kg	0.5g	271,000	300,000	430,000	
	EC-15D	15 kg	1g	271,000	300,000	430,000	
	EC-30D	30 kg	2g	284,000	310,000	450,000	
	SW-1S(2kg)(1/4000)	2 kg	0.5g	90,000	100,000	140,000	고분해 : 1/4000
	SW-1S(2kg)(1/2000)	2 kg	1g	85,000	100,000	140,000	주문수량 : 4개/BOX
	SW-1S(5kg)	5 kg	2g	85,000	100,000	140,000	
	SW-1S(10kg)	10 kg	5g	85,000	100,000	140,000	
	SW-1S(20kg)	20 kg	10g	85,000	100,000	140,000	
	SW-1S(30kg)	30 kg	10g	90,000	100,000	140,000	고하중,고분해 : 1/3000
	SWII-3CS	3 kg	1 g	80,000	90,000	130,000	주문수량 : 5개/BOX
	SWII-6CS	6 kg	2 g	80,000	90,000	130,000	
	SWII-15CS	15 kg	5 g	80,000	90,000	130,000	
	SWII-30CS	30 kg	10 g	80,000	90,000	130,000	

\* 방수형 단순 중량 전자저울 (Werter proof Simple Weighing Scale)

(단위 : 원 /VAT 별도)



제품사진	제품명	CAPA	1눈의값	대리점가	직판가	소비자가	비 고
	SWII-3CW	3 kg	1g	123,000	140,000	200,000	방수형 전자저울 DISPLAY TYPE : LCD OPTION : ADAPTOR(5M)
	SWII-6CW	6 kg	2g	123,000	140,000	200,000	
	SWII-15CW	15 kg	5g	123,000	140,000	200,000	
	SWII-30CW	30 kg	10g	123,000	140,000	200,000	
	SWII-3EW	3 kg	1g	136,000	150,000	220,000	방수형 전자저울 DISPLAY TYPE : LED ADAPTOR(5M)
	SWII-6EW	6 kg	2g	136,000	150,000	220,000	
	SWII-15EW	15 kg	5g	136,000	150,000	220,000	
	SWII-30EW	30 kg	10g	136,000	150,000	220,000	
OPTION SWII 전용	LARGE TRAY			25,000	30,000	40,000	구입처 : 고객지원팀 문의
	AC ADAPTOR	전용아답터 (5 M)		25,000	30,000	40,000	
	FW500-6C	6 kg	1 g / 2 g	234,000	260,000	370,000	LCD TYPE ADAPTOR 옵션
	FW500-15C	15 kg	2 g / 5 g	234,000	260,000	370,000	
	FW500-30C	30 kg	5 g / 10 g	234,000	260,000	370,000	
	FW500-6E	6 kg	1 g / 2 g	246,000	270,000	390,000	LED TYPE 충전배터리 내장 ADAPTOR 기본
	FW500-15E	15 kg	2 g / 5 g	246,000	270,000	390,000	
	FW500-30E	30 kg	5 g / 10 g	246,000	270,000	390,000	







\* 계수형 전자저울 (Counting Scale)

(단위 : 원 /VAT 별도)

제품사진	제품명	CAPA	1눈의값	대리점가	직판가	소비자가	비 고
	2.5CS	2.5kg	0.5g	271,000	300,000	430,000	
	5CS	5kg	1g	271,000	300,000	430,000	
	10CS	10kg	2g	271,000	300,000	430,000	
	25CS	25kg	5g	284,000	310,000	450,000	
	EC-3	3kg	0.2g	308,000	340,000	490,000	충방전 PB Battery 내장형 OPTION : 프린터연결
	EC-6	6kg	0.5g	308,000	340,000	490,000	
	EC-15	15kg	1g	308,000	340,000	490,000	
	EC-30	30kg	2g	320,000	350,000	510,000	
 	EC-II(3KG)	3kg	0.2g	351,000	390,000	560,000	OUT OPTION(별매)  RELAT BOX BODY PLATFORM WARNING LIGHT (3-COLOR/BUZZER)
	EC-II(6KG)	6kg	0.5g	351,000	390,000	560,000	
	EC-II(15KG)	15kg	1g	351,000	390,000	560,000	
	EC-II(30KG)	30kg	2g	363,000	400,000	580,000	
	RELAY BOX	30kg	2g	98,000	110,000	160,000	
	25AC	25kg	5g	418,000	460,000	670,000	
	50AC	50kg	10g	431,000	470,000	690,000	
	100AC	100kg	20g	468,000	510,000	750,000	
	ECB-30	30kg	2g	492,000	540,000	790,000	충방전 PB Battery 내장형 OPTION : 프린터연결
	ECB-75	75kg	5g	517,000	570,000	830,000	
	ECB-150	150kg	10g	541,000	600,000	870,000	
	ECB-250	250kg	20g	591,000	650,000	950,000	

* 고정밀 미량 전자저울 (Compact Scale)				(단위 : 원 /VAT 별도)			
제품사진	제품명	CAPA	1눈의값	대리점가	직판가	소비자가	비 고
	MW-2H(300g)	300g	0.01g	271,000	300,000	430,000	형식인증완료 : 1/30,000
	MW-2H(600g)	600g	0.02g	285,000	310,000	460,000	
	MW-2H(3000g)	3000g	0.1g	284,000	310,000	450,000	
	CD-300			62,000	70,000	100,000	보조디스플레이/INDICATOR 연결가능



* 발란스 (Electronic Balances)				(단위 : 원 /VAT 별도)			
제품사진	제품명	CAPA	1눈의값	대리점가	직판가	소비자가	비 고
	CAUW-120D	120 g	0.1/0.01mg	2,700,000	2,970,000	4,320,000	초정밀 0.01mg 구현
	CAUW-220D	220 g	0.1/0.01mg	2,850,000	3,140,000	4,560,000	
	CAUW-220	220 g	0.1 mg	2,350,000	2,590,000	3,760,000	Moter 구동내부 교정분 완전자동교정PSC
	CAUW-320	320 g	0.1 mg	2,750,000	3,030,000	4,400,000	
	CAUX-220	220 g	0.1 mg	2,100,000	2,310,000	3,360,000	Moter 구동내부 교정분동
	CAUY-120	120 g	0.1 mg	1,550,000	1,710,000	2,480,000	
	CAUY-220	220 g	0.1 mg	1,700,000	1,870,000	2,720,000	

	CATY124	120 g	0.1/0.01mg	1,416,000	1,560,000	2,270,000	OPTION  I/O DATA 통신기본사양제외
	CATY224	220 g	0.1/0.01mg	1,540,000	1,690,000	2,460,000	
	CATY324	320 g	0.1/0.01mg	1,600,000	1,760,000	2,560,000	
	CATX124	120 g	0.1/0.01mg	1,900,000	2,090,000	3,040,000	Moter 구동내부 교정분동 OPTION : I/O DATA 통신기본사양제외
	CATX224	220 g	0.1/0.01mg	1,970,000	2,170,000	3,150,000	
	CATX324	320 g	0.1/0.01mg	2,500,000	2,750,000	4,000,000	
	CONVERSION CABLE			92,000	100,000	150,000	I/O-RS CONVERSION CABLE(CAT용)
	CBX-22KH	22 kg	0.1 g	1,500,000	1,650,000	2,400,000	고중량 고정밀 분해도 : 1/220000
	CBX-32KH	32 kg	0.1 g	1,600,000	1,760,000	2,560,000	고중량 고정밀 분해도 : 1/320000
	XC-63	60 g	1 mg	1,850,000	2,040,000	2,960,000	수분측정기

\* 발란스 (Electronic Balances)

(단위 : 원 /VAT 별도)

제품사진	제품명	CAPA	1눈의값	대리점가	직판가	소비자가	비 고
	CUX-220HX	220 g	1 mg	770,000	850,000	1,230,000	
	CUX-420HX	420 g	1 mg	820,000	900,000	1,310,000	
	CUX-620HX	620 g	1 mg	990,000	1,090,000	1,580,000	
	CUX-2200HX	2,200 g	10 mg	765,000	840,000	1,220,000	
	CUX-4200HX	4,200 g	10 mg	820,000	900,000	1,310,000	
	CUX-6200HX	6,200 g	10 mg	1,000,000	1,100,000	1,600,000	

	CUW-220HX	220 g	1 mg	1,000,000	1,100,000	1,600,000	방풍케이스 포함(PLASTIC) Moter 구동내부 교정분동 사용시 LOCK BOLT 해제
	CUW-420HX	420 g	1 mg	1,050,000	1,160,000	1,680,000	
	CUW-620HX	620 g	1 mg	1,200,000	1,320,000	1,920,000	
	CUW-2200HX	2,200 g	10 mg	970,000	1,070,000	1,550,000	Moter 구동내부 교정분동  사용시 LOCK BOLT 해제
	CUW-4200HX	4,200 g	10 mg	1,100,000	1,210,000	1,760,000	
	CUW-6200HX	6,200 g	10 mg	1,350,000	1,490,000	2,160,000	
	CBL220	220 g	1 mg	500,000	550,000	800,000	방풍케이스 포함 PLASTIC
	CBL320	320 g	1 mg	550,000	610,000	880,000	
	CBL2200	2200 g	10 mg	500,000	550,000	800,000	
	CBL3200	3200 g	10 mg	550,000	610,000	880,000	

\* 신체관리시스템 (nBody Series)


제품사진	제품명	CAPA	1눈의값	대리점가	직판가	소비자가	비 고
	HC-1500	체중:200Kg  신장:200Cm	50g/100g  1mm	714,000	790,000	1,140,000	선키 측정




\* 매달림 전자저울 (Crane Scale)

(단위 : 원 /VAT 별도)

제품사진	제품명	CAPA	1눈의값	대리점가	직판가	소비자가	비 고
	100HD	100 kg	50g	517,000	570,000	830,000	일반 HOOK
	200HD	200 kg	100g	517,000	570,000	830,000	
	300HD	300 kg	100g	541,000	600,000	870,000	
	500HD	500 kg	200g	541,000	600,000	870,000	
	OPTION	REMOTE CONTROL		62,000	70,000	100,000	HD 전용
		도축용		62,000	70,000	100,000	도축용 HOOK
	CASTON II PLUS-0.5C	500 kg	0.2kg	770,000	850,000	1,230,000	LCD DISPLAY (28mm + Back light)
	CASTON II PLUS-1C	1,000 kg	0.5kg	770,000	850,000	1,230,000	
	CASTON II PLUS-2C	2,000 kg	1kg	800,000	880,000	1,280,000	
	CASTON II PLUS-5C	5,000 kg	2kg	860,000	950,000	1,380,000	
	CASTON II PLUS-10C	10,000kg	5kg	2,000,000	2,200,000	3,200,000	
	CASTON II PLUS-0.5E	500 kg	0.2kg	770,000	850,000	1,230,000	LED DISPLAY(38mm) (주문형 사양)
	CASTON II PLUS-1E	1,000 kg	0.5kg	770,000	850,000	1,230,000	
	CASTON II PLUS-2E	2,000 kg	1kg	800,000	880,000	1,280,000	
	CASTON II PLUS-5E	5,000 kg	2kg	861,000	950,000	1,380,000	
	CASTON II PLUS-10E	10,000kg	5kg	2,000,000	2,200,000	3,200,000	
CASTON II PLUS 전용옵션	Bluetooth Option			200,000	220,000	320,000	
	X-bee Option			230,000	250,000	370,000	







	1THD	1 ton	0.5 kg	1,400,000	1,540,000	2,240,000	Hook 포함
	3THD	3 ton	1 kg	1,600,000	1,760,000	2,560,000	
	5THD	5 ton	2 kg	1,800,000	1,980,000	2,880,000	
	10THD	10 ton	5 kg	3,000,000	3,300,000	4,800,000	
	15THD	15 ton	10 kg	3,500,000	3,850,000	5,600,000	
	20THD	20 ton	10 kg	4,300,000	4,730,000	6,880,000	
	30THD	30 ton	20 kg	6,000,000	6,600,000	9,600,000	OPTION HOOK &SHACKLE 미포함
	50THD	50 ton	20 kg				
	60THD	60 ton	20 kg				

* 매달림 전자저울 (Crane Scale)				(단위 : 원 /VAT 별도)			
제품사진	제품명	CAPA	1눈의값	대리점가	직판가	소비자가	비 고
	3THD(B1)	3 ton	1 kg	1,800,000	1,980,000	2,880,000	블루투스 통신 TWN-B 별도
	5THD(B1)	5 ton	2 kg	2,200,000	2,420,000	3,520,000	
	10THD(B1)	10 ton	5 kg	3,400,000	3,740,000	5,440,000	블루투스 통신 충전기 및 예비 배터리 포함 TWN-B 별도
	15THD(B1)	15 ton	10 kg	3,900,000	4,290,000	6,240,000	
	20THD(B1)	20 ton	10 kg	4,500,000	4,950,000	7,200,000	
	30THD(B1)	30 ton	10 kg	6,500,000	7,150,000	10,400,000	블루투스 통신 충전기 및 예비 배터리 포함 TWN-B 별도
	50THD(B1)	50 ton	20 kg				
	60THD(B1)	60 ton	20 kg				
	Bluetooth OPTION	CASTON II / III		185,000	200,000	300,000	적용모델 : CASTON II,III
	장착비/설치비			-	-	-	장착시 운임비 별도

	TWN-B	블루투스 타입		271,000	300,000	430,000	블루투스
	TWN-Z	지그비 타입		300,000	330,000	480,000	지그비
		HOOK ASS'Y	1 ton	308,000	340,000	490,000	주문형 사양  종류별 30일~90일 주문시 담당자 협의요망
		HOOK ASS'Y	3 ton	345,000	380,000	550,000	
		HOOK ASS'Y	5 ton	369,000	410,000	590,000	
	OPTION	HOOK ASS'Y	10 ton	677,000	740,000	1,080,000	
		HOOK ASS'Y	15 ton	800,000	880,000	1,280,000	
		HOOK ASS'Y	20 ton	1,477,000	1,620,000	2,360,000	
		HOOK ASS'Y	30 ton	5,906,000	6,500,000	9,450,000	
		HOOK ASS'Y	50 ton	14,766,000	16,240,000	23,630,000	
		HOOK ASS'Y	60 ton				
	OPTION	SHACKLE	30 ton	984,000	1,080,000	1,570,000	
		SHACKLE	50 ton	1,354,000	1,490,000	2,170,000	
		SHACKLE	60 ton				
							

\* TM 크로스비 샤클 미포함(Tension Meter Scale)


(단위 : 원 /VAT 별도)



제품사진	제품명	CAPA	1눈의값	대리점가	직판가	소비자가	비 고
<b>유선</b>  0.5~15T  25~50T	TM-0.5	500 kg	0.5 kg	710,000	780,000	1,140,000	IP65 방수/방진 구조 4 AA 사이즈 1.5V 알카라인 / 0.3~0.5W 옵션:샤클,운반용 케이스,20 m 케이블
	TM-1	1,000 kg	1 kg	710,000	780,000	1,140,000	
	TM-3	3,000 kg	2 kg	770,000	850,000	1,230,000	
	TM-5	5,000 kg	5 kg	870,000	960,000	1,390,000	
	TM-10	10 t	20 kg	2,500,000	2,750,000	4,000,000	
	TM-15	15 t	50 kg	2,800,000	3,080,000	4,480,000	
	TM-25	25 t	50 kg	3,200,000	3,520,000	5,120,000	
	TM-50	50 t	100 kt	4,500,000	4,950,000	7,200,000	
<b>BLUETOOTH</b>  0.5~15T  25~50T	TM-0.5B	500 kg	0.5 kg	1,000,000	1,100,000	1,600,000	IP65 방수/방진 구조 4 AA 사이즈 1.5V 알카라인 / 0.3~0.5W 옵션:샤클,운반용 케이스,TWN
	TM-1B	1,000 kg	1 kg	1,000,000	1,100,000	1,600,000	
	TM-3B	3,000 kg	2 kg	1,050,000	1,160,000	1,680,000	
	TM-5B	5,000 kg	5 kg	1,150,000	1,270,000	1,840,000	
	TM-10B	10 t	20 kg	2,500,000	2,750,000	4,000,000	
	TM-15B	15 t	50 kg	2,800,000	3,080,000	4,480,000	
	TM-25B	25 t	50 kg	3,200,000	3,520,000	5,120,000	
	TM-50B	50 t	100 kt	4,500,000	4,950,000	7,200,000	
<b>Zigbee</b>  0.5~15T  25~50T	TM-0.5Z	500 kg	0.5 kg	1,000,000	1,100,000	1,600,000	IP65 방수/방진 구조 4 AA 사이즈 1.5V 알카라인 / 0.3~0.5W 옵션:샤클,운반용 케이스,TWN
	TM-1Z	1,000 kg	1 kg	1,000,000	1,100,000	1,600,000	
	TM-3Z	3,000 kg	2 kg	1,050,000	1,160,000	1,680,000	
	TM-5Z	5,000 kg	5 kg	1,150,000	1,270,000	1,840,000	
	TM-10Z	10 t	20 kg	2,500,000	2,750,000	4,000,000	
	TM-15Z	15 t	50 kg	2,800,000	3,080,000	4,480,000	
	TM-25Z	25 t	50 kg	3,200,000	3,520,000	5,120,000	
	TM-50Z	50 t	100 kt	4,600,000	5,060,000	7,360,000	












\* TM 크로스비 샤클 포함(Tension Meter Scale)

(단위 : 원 /VAT 별도)

제품사진	제품명	CAPA	1눈의값	대리점가	직판가	소비자가	비 고
<b>유선</b>  0.5~15T  25~50T	TM-0.5	500 kg	0.5 kg	984,000	1,080,000	1,570,000	IP65 방수/방진 구조 4 AA 사이즈 1.5V 알카라인 / 0.3~0.5W 옵션:샤클,운반용 케이스,20 m 케이블
	TM-1	1,000 kg	1 kg	984,000	1,080,000	1,570,000	
	TM-3	3,000 kg	2 kg	1,107,000	1,220,000	1,770,000	
	TM-5	5,000 kg	5 kg	1,354,000	1,490,000	2,170,000	
	TM-10	10 t	20 kg	3,261,000	3,590,000	5,220,000	
	TM-15	15 t	50 kg	4,307,000	4,740,000	6,890,000	
	TM-25	25 t	50 kg	5,845,000	6,430,000	9,350,000	
	TM-50	50 t	100 kt	11,690,000	12,860,000	18,700,000	
<b>BLUETOOTH</b>  0.5~15T  25~50T	TM-0.5B	500 kg	0.5 kg	1,107,000	1,220,000	1,770,000	IP65 방수/방진 구조 4 AA 사이즈 1.5V 알카라인 / 0.3~0.5W 옵션:샤클,운반용 케이스,TWN
	TM-1B	1,000 kg	1 kg	1,107,000	1,220,000	1,770,000	
	TM-3B	3,000 kg	2 kg	1,231,000	1,350,000	1,970,000	
	TM-5B	5,000 kg	5 kg	1,539,000	1,690,000	2,460,000	
	TM-10B	10 t	20 kg	3,568,000	3,920,000	5,710,000	
	TM-15B	15 t	50 kg	4,676,000	5,140,000	7,480,000	
	TM-25B	25 t	50 kg	6,153,000	6,770,000	9,840,000	
	TM-50B	50 t	100 kt	12,305,000	13,540,000	19,690,000	
<b>Zigbee</b>  0.5~15T  25~50T	TM-0.5Z	500 kg	0.5 kg	1,107,000	1,220,000	1,770,000	IP65 방수/방진 구조 4 AA 사이즈 1.5V 알카라인 / 0.3~0.5W 옵션:샤클,운반용 케이스,TWN
	TM-1Z	1,000 kg	1 kg	1,107,000	1,220,000	1,770,000	
	TM-3Z	3,000 kg	2 kg	1,231,000	1,350,000	1,970,000	
	TM-5Z	5,000 kg	5 kg	1,539,000	1,690,000	2,460,000	
	TM-10Z	10 t	20 kg	3,568,000	3,920,000	5,710,000	
	TM-15Z	15 t	50 kg	4,676,000	5,140,000	7,480,000	
	TM-25Z	25 t	50 kg	6,153,000	6,770,000	9,840,000	
	TM-50Z	50 t	100 kt	12,305,000	13,540,000	19,690,000	

* 로드셀 출력 증폭기 (L/C Transmitter)				(단위 : 원 /VAT 별도)			
제품사진	제품명	CAPA	1눈의값	대리점가	직판가	소비자가	비 고
	LCT-PRO	V-OUT + I-OUT RS-232C / STRAIN MODEULE		250,000	280,000	400,000	
	WTM-200	RS-485 기본		197,000	220,000	320,000	디스플레이 無
	WTM-500	RS-232/485+A OUT+EXT I/O		250,000	280,000	400,000	디스플레이 有
	OPTION	Alibi Memory		40,000	40,000	60,000	
		Ethernet		40,000	40,000	60,000	

* 산업용 인디케이터 (Indicator) : 100 ~ 2000계열				(단위 : 원 /VAT 별도)			
제품사진	제품명	CAPA	1눈의값	대리점가	직판가	소비자가	비 고
	CI-150A	RELAY I(EXT IO_2,4) + RTC		150,000	170,000	240,000	
	CI-170A	RELAY I(EXT IO_2,4) + RTC		150,000	170,000	240,000	DIN SIZE : 96*48
	OPTION	A-OUT		55,000	60,000	90,000	OPTION 적용 CI-150A/170A/WTM
		RS485		40,000	40,000	60,000	
		RTC (ALIBI)		40,000	40,000	60,000	
		RELAY EXT IO(2,4)		50,000	60,000	80,000	
		ADAPTOR		20,000	20,000	30,000	

	CI-1580A	LED-Display		200,000	220,000	320,000	
	OPTION	AC ADAPTOR		25,000	30,000	40,000	DC 24V ( 17 V ~ 24 V)
	CI-200A	LED-Display		170,000	190,000	240,000	Adaptor & Cradle 포함
	CI-201A	LCD-Display		185,000	210,000	260,000	
	CI-200SC	LCD-Display		310,000	340,000	500,000	Stainless Steel Case 적용
	CI-2001AN	LED-Display		120,000	130,000	190,000	1 BOX : 6EA
	CI-2001BN	LCD-Display		130,000	140,000	210,000	
	OPTION	USB		25,000	30,000	40,000	BN-TYPE
		RS-422/485		35,000	40,000	60,000	
		RTC		35,000	40,000	60,000	CI-2001BN전용
		Panel Guide		35,000	40,000	60,000	
	NT-200A	LED-Display	주문형 생산	160,000	180,000	260,000	1 BOX : 6EA
	NT-201A	LCD-Display		200,000	220,000	320,000	
	NT-200S	LED-Display		235,000	260,000	380,000	Stainless Steel CASE 적용 1 BOX : 6EA
	NT-201S	LCD-Display		250,000	280,000	400,000	
	CI-2001AS			200,000	220,000	320,000	Stainless Steel CASE 적용 1 BOX : 6EA
	CI-2001BS			245,000	270,000	390,000	
	CI-2400BS	방수형(IP 65)		245,000	270,000	390,000	






\* 산업용 인디케이터 (Indicator)



(단위 : 원 /VAT 별도)

제품사진	제품명	CAPA	1눈의값	대리점가	직판가	소비자가	비 고
	CI-501A	보급형		215,000	240,000	340,000	재고 소진후 단종
	CI-502A	4단제어		290,000	320,000	460,000	
	CI-507A	배출계량형		440,000	480,000	700,000	
	OPTION	I-OUT		100,000	110,000	160,000	
		BCD-OUT (CI-500전용)		90,000	100,000	140,000	
		BCD-IN (CI-500전용)		70,000	80,000	110,000	
		RS-422/485		40,000	40,000	60,000	
	CI-401A	LED-Display		190,000	210,000	300,000	C/T BOX : 4EA RS-232C 2EA
	CI-401AL	LED-LARGE Display		210,000	230,000	340,000	
	CI-405A	LED-Display, Ext I/O 4In/6Out		295,000	320,000	470,000	
	CI-407A	LED-Display, Ext I/O 4In/6Out		320,000	350,000	510,000	
	CI-601A	단순형 그래픽 UI		310,000	340,000	500,000	RS232C 2포트 USB 데이터 백업기본
	CI-605A	제어형 그래픽 UI		400,000	440,000	640,000	외부 입/출력(입력4/출력6)
CI-400 SERISE CI-600 SERISE	OPTION	Analog Out		90,000	100,000	140,000	A-OUT 0~20mA, 0~24mA, 4~20mA 0~10V, 0~5V, ±5V, ±10V  별도장착(CARD SLOT 방식)
		BCD-OUT		65,000	70,000	100,000	
		BCD-IN		65,000	70,000	100,000	
		Ethernet		60,000	70,000	100,000	
		Alibi Memory		35,000	40,000	60,000	
		RELAY I (EXT I/O 4,6)		65,000	70,000	100,000	
CI-600 전용	RELAY II	EXT I/O 6,8		100,000	110,000	160,000	CI-600전용

\* 산업용 인디케이터 (Indicator)

(단위 : 원 /VAT 별도)





제품사진	제품명	CAPA	1눈의값	대리점가	직판가	소비자가	비 고
	NT-201SP	PRINTER 일체형		500,000	550,000	800,000	프린터 일체형 차량설치가능 (DC 24V 차량)
	CI-608A	투입/배출 동시계량		1,100,000	1,210,000	1,760,000	A-OUT/ RELAY II 기본사양
	OPTION	INVERTER		-	-	-	별도문의
		SCREW FEEDER		-	-	-	
	LM-200(A)	LOAD LIMITER CONTOLLER 과부하 방지 인디게이터		500,000	550,000	800,000	과부하 방지 인디게이터 OUTPUT : 4-PORT BUZZER
	SL-2T	LOAD LIMITER LOADCELL		400,000	440,000	640,000	주문형 로드셀
	SL-5T	과부하 보호용 로드셀		450,000	500,000	720,000	
	BI-2RB	방수형(IP 65)		250,000	280,000	400,000	충전용건전지 / 아답타 포함

	EXI-200AD	내압방폭형(수소포함) (Ex d IIB+H2 T6 IP66)  분진방폭형 (Ex tD A21 T85°C IP66)	1,100,000	1,210,000	1,760,000	옵션 (WTM과 동일) RS-422/485(MODBUS RTU) Analog out EXT I/O : 2/4개 External Memory Ethernet
	EXI-600AD	내압방폭형(수소포함) (Ex d IIB+H2 T6 IP66)  분진방폭형 (Ex tD A21 T85°C IP66)	1,700,000	1,870,000	2,720,000	옵션(CI-600과 동일) RS-422/485(MODBUS RTU) Analog out BCD-OUT EXT I/O : 4/6개, 6/8개 Ethernet

* 산업용 써밍 박스 (Junction Box)				(단위 : 원 /VAT 별도)			
제품사진	제품명	CAPA	1논의값	대리점가	직판가	소비자가	비 고
	JB-3PA	재질 : ABS 방수형(IP 66)		50,000	60,000	80,000	재질 : ABS PLASLTIC
	JB-4PA			60,000	70,000	100,000	
	JB-6PA			90,000	100,000	140,000	
	JB-8PA			120,000	130,000	190,000	
	JB-3P	재질 : 알루미늄 방수형(IP 65)		90,000	100,000	140,000	재질 : 다이캐스팅(AL)
	JB-4P			120,000	130,000	190,000	
	JB-6P			140,000	150,000	220,000	
	JB-8P			160,000	180,000	260,000	
	JBEX-3P	내압방폭형 (Ex d IIB T4 IP65)		250,000	280,000	400,000	
	JBEX-4P			250,000	280,000	400,000	
	JBEX-6P	분진방폭형 (Ex tD A21 T85°C IP66)		300,000	330,000	480,000	
	JB-4	재질 : 알루미늄 방수형(IP 65)		70,000	80,000	110,000	CFS, CPS, etc.. 적용
	JB-4H	재질 : Steel 방수형(IP 65)		90,000	100,000	140,000	HFS, UFS, R-500, etc..적용
	NT-WORKS			190,000	210,000	300,000	통신 프로그램
	IM-WORKS			190,000	210,000	300,000	
	IM-WORKS PRO	PRO		260,000	290,000	420,000	

\* 디지털 로드셀, 인디게이터, Junction Box


(단위 : 원 /VAT 별도)

제품사진	제품명	CAPA	1눈의값	대리점가	직판가	소비자가	비 고
	CI-200D			270,000	300,000	430,000	디지털로드셀 전용 기술지원비 별도
	CI-601D			470,000	500,000	640,000	
	JB-6PAD			85,000	90,000	140,000	디지털로드셀 전용 기술지원비 별도
	JB-8PAD			85,000	90,000	140,000	
	DOM-01	A/D CONVERTER		150,000	170,000	240,000	1 LOADCELL용 기술지원비 별도
	DMP-4P			270,000	300,000	430,000	4 LOADCELL P/F용 기술지원비 별도

\* 산업용 전자저울 (Industrial Scales)

(단위 : 원 /VAT 별도)

제품사진	제품명	CAPA	1눈의값	대리점가	직판가	소비자가	비 고
	WCS-200	200 kg	0.05 kg	1,500,000	1,650,000	2,400,000	INDICATOR : CI-2001BN 배송비 포함(경동택배 기준)
	Printer	DOT PRINTER		300,000	330,000	480,000	OPTION 추가금액
		THERMAL PRINTER, AUTO CUT		430,000	470,000	690,000	
	R-300	300 kg	0.1 kg	1,100,000	1,210,000	1,760,000	Roll-on-Scale INDICATOR : CI-501 SIZE : 1000*1000*90  배송비 포함 (경동택배 기준)
	R-500	500 kg	0.2 kg	1,100,000	1,210,000	1,760,000	
	R-1000	1000 kg	0.5 kg	1,250,000	1,380,000	2,000,000	
	R-1500	1500 kg	0.5 kg	1,400,000	1,540,000	2,240,000	
	R-2000	2000 kg	1 kg	1,400,000	1,540,000	2,240,000	

	CPKII-2000 (자동톤백저울)	2000 kg	1 kg	3,500,000	3,850,000	5,600,000	운반비 포함
	500UFS	500 kg	200 g	1,000,000	1,100,000	1,600,000	INDICATOR : CI-501A SIZE : 1000*800*75  배송비 포함 (경동택배 기준)
	1000UFS	1000 kg	500 g	1,000,000	1,100,000	1,600,000	
	2000UFS	2000 kg	1 kg	1,100,000	1,210,000	1,760,000	
	3000UFS	3000 kg	1 kg	1,300,000	1,430,000	2,080,000	
	4000UFS	4000 kg	2 kg	1,450,000	1,600,000	2,320,000	
	500BFS	500 kg	200 g	1,050,000	1,160,000	1,680,000	INDICATOR : CI-501A SIZE : 1200*120*75 배송비 포함 (경동택배 기준)
	1000BFS	1000 kg	500 g	1,050,000	1,160,000	1,680,000	
	2000BFS	2000 kg	1 kg	1,100,000	1,210,000	1,760,000	

\* 중량선별기 (Auto Checker) - Stainless Steel

(단위 : 원 /VAT 별도)

제품사진	제품명	CAPA	1눈의값	대리점가	직판가	소비자가	비 고
	경중량 체커 (~1.5kg)	1.5	0.2g	7,500,000	8,250,000	12,000,000	
	중중량 체커 (~6kg 미만)	6	2g	7,700,000	8,470,000	12,320,000	
	고중량 체커 (~30kg 미만)	30	0.01kg	7,500,000	8,250,000	12,000,000	
	고중량 체커 (~60kg 미만)	60	0.02kg	7,700,000	8,470,000	12,320,000	
	AIR JET	200g 미만		2,400,000	2,640,000	3,840,000	
	Drop Belt	3kg 미만		2,500,000	2,750,000	4,000,000	
	Pusher Roller	30kg 미만		3,300,000	3,630,000	5,280,000	
	Pusher Roller	60kg 미만		3,600,000	3,960,000	5,760,000	
	CCK-2000A	2 kg/0.1g	200(W)*350(L)	11,000,000	12,100,000	17,600,000	AUTO CHECKER  선별정도 : 300EA/MAX / 별도문의
	CCK-600A	600g/0.01g	120(W)*240(L)	11,000,000	12,100,000	17,600,000	



\* 산업용 전자저울 (Platform Scale):국내제작

(단위 : 원 /VAT 별도)

제품사진	제품명	CAPA	1눈의값	대리점가	직판가	소비자가	비 고
800*600*120	300A	300 kg	100 g	1,088,000	1,270,000	1,840,000	4 Load Cell INDICATOR : CI-501A  배송비 포함 (경동택배 기준)
1000*800*120				1,113,000	1,320,000	1,920,000	
1200*1000*120				1,202,000	1,380,000	2,000,000	
800*600*120	500A	500 kg	100 g	1,113,000	1,320,000	1,920,000	
1000*800*120				1,139,000	1,380,000	2,000,000	
1200*1000*120				1,202,000	1,380,000	2,000,000	
1200*1000*120	1000A	1000 kg	200 g	1,202,000	1,380,000	2,000,000	
1200*1200*120				1,265,000	1,490,000	2,160,000	
1500*1200*120				1,455,000	1,710,000	2,480,000	
1500*1500*120				1,518,000	1,760,000	2,560,000	
1200*1000*120	1500A 2000A	1500 kg 2000 kg	500 g 500 g	1,392,000	1,650,000	2,400,000	
1200*1200*120				1,455,000	1,710,000	2,480,000	
1500*1200*120				1,645,000	1,930,000	2,800,000	
1500*1500*120				1,771,000	1,980,000	2,880,000	

\* 산업용 전자저울 (Platform Scale) - 중국현지생산

(단위 : 원 /VAT 별도)

제품사진	제품명	CAPA	1눈의값	대리점가	직판가	소비자가	비 고
1200*1200*120	1000A	1000 kg	200 g	1,050,000	1,160,000	1,680,000	짜산생산물 Indicator : CI-200
1200*1200*120	2000A	2000 kg	500 g	1,050,000	1,160,000	1,680,000	
	PLATFORM FOOT	1000A, 2000A 겸용(100 mm)		75,000	80,000	120,000	짜산생산물 전용

\* 산업용 전자저울 (Platform Scale) - 중국현지생산

(단위 : 원 /VAT 별도)

제품사진	제품명	CAPA	1눈의값	대리점가	직판가	소비자가	비 고
1200*1200*90	1HFS	1000 kg	200 g	900,000	990,000	1,440,000	짜산생산물 Indicator : CI-200
1200*1200*90	2HFS	2000 kg	500 g	900,000	990,000	1,440,000	

* 산업용 전자저울 (Platform Scale)				(단위 : 원 /VAT 별도)			
제품사진	제품명	CAPA	1눈의값	대리점가	직판가	소비자가	비 고
1600*600	돈형기	1000 kg	200 g	2,800,000	3,080,000	4,480,000	INDICATOR : CI-200A 운반비 별도
* Platform Scale Option				(단위 : 원 /VAT 별도)			
제품사진	제품명	CAPA	1눈의값	대리점가	직판가	소비자가	비 고
800*600	sus cover	두께 : 1T		220,000	250,000	320,000	OPTION 사양
1000*800*120				300,000	330,000	480,000	
1200*1000*120				360,000	390,000	560,000	
1200*1200*120				380,000	420,000	610,000	
1500*1200*120				490,000	550,000	690,000	
1500*1500*120				540,000	580,000	780,000	
1800*1500*200				770,000	850,000	1,230,000	
2000*2000*255				850,000	940,000	1,360,000	
800*600	sus cover	두께 : 1.5T		370,000	390,000	560,000	OPTION 사양
1000*800*120				430,000	470,000	690,000	
1200*1000*120				490,000	540,000	780,000	
1200*1200*120				550,000	610,000	880,000	
1500*1200*120				650,000	720,000	1,040,000	
1500*1500*120				670,000	740,000	1,070,000	
1800*1500*200				920,000	1,010,000	1,470,000	
2000*2000*255				1,040,000	1,140,000	1,660,000	
OPTION	Foot보강(2톤이하적용)	100mm 높이		170,000	190,000	270,000	
	Platform 이동형 바퀴	500A 이하		240,000	260,000	380,000	
		1000A 이하		290,000	330,000	420,000	
		2000A 이하		340,000	370,000	540,000	
		3000A 이하		550,000	600,000	780,000	
	톤백걸이	8 POINT		600,000	660,000	960,000	
	손잡이	바퀴설치시		340,000	370,000	540,000	
* 산업용 전자저울 (Floor Scale)				(단위 : 원 /VAT 별도)			

제품사진	제품명	CAPA	1눈의값	대리점가	직판가	소비자가	비 고
800*600*90	0.3HFS	300kg	100g	1,150,000	1,270,000	1,840,000	<div>4 Load Cell INDICATOR : CI-401A</div> <div>배송비 포함 (경동택배 기준)</div> <div>SIZE 1500*1500 이상 배송비 별도</div>
1000*800*90				1,150,000	1,270,000	1,840,000	
1000*1000*90	0.5HFS	500kg	200g	1,220,000	1,340,000	1,950,000	
1200*1000*90				1,220,000	1,340,000	1,950,000	
1200*1200*90	1HFS	1000kg	500g	1,220,000	1,340,000	1,950,000	
1500*1200*90				1,560,000	1,720,000	2,500,000	
1500*1500*90				1,620,000	1,780,000	2,590,000	
1000*800*90	2HFS	2000kg	500g	1,280,000	1,410,000	2,050,000	
1000*1000*90				1,280,000	1,410,000	2,050,000	
1200*1000*90				1,280,000	1,410,000	2,050,000	
1200*1200*90				1,290,000	1,420,000	2,060,000	
1500*1200*90				1,540,000	1,690,000	2,460,000	
1500*1500*90				1,600,000	1,760,000	2,560,000	
2000*2000*90				2,710,000	2,980,000	4,340,000	
1000*800*90	3HFS	3000kg	1kg	1,420,000	1,560,000	2,270,000	
1000*1000*90				1,480,000	1,630,000	2,370,000	
1200*1000*90				1,600,000	1,760,000	2,560,000	
1200*1200*90				1,660,000	1,830,000	2,660,000	
1500*1200*90				1,850,000	2,040,000	2,960,000	
1500*1500*90				1,970,000	2,170,000	3,150,000	
2000*2000*90				2,710,000	2,980,000	4,340,000	
1000*800*90	5HFS	5000kg	2kg	1,970,000	2,170,000	3,150,000	
1000*1000*90				2,090,000	2,300,000	3,340,000	
1200*1000*90				2,460,000	2,710,000	3,940,000	
1200*1200*90				2,520,000	2,770,000	4,030,000	
1500*1200*90				2,710,000	2,980,000	4,340,000	
1500*1500*90				2,770,000	3,050,000	4,430,000	
2000*2000*90				2,950,000	3,250,000	4,720,000	

OPTION	SUPPORT STAND	CAS정품	고정형	100,000	110,000	160,000	SUPPROT + BRACKET + CABLE COVER
			이동형	150,000	170,000	240,000	SUPPROT + BRACKET + CABLE COVER + BASE PLATE + CASTER
			프린터 선반	40,000	40,000	60,000	
	SUPPORT STAND	고정형		110,000	120,000	180,000	SUPPROT + BRACKET + CABLE COVER
	SUPPORT STAND	고정형(SUS)		250,000	280,000	400,000	SUPPROT + BRACKET + CABLE COVER + BASE PLATE + CASTER
	SUPPORT STAND	바퀴형		90,000	100,000	140,000	CI, NT 연결형
	SUPPORT STAND	바퀴형(SUS)		370,000	410,000	590,000	CI, NT 연결형
	SUPPORT STAND	고정형 Panel용		190,000	210,000	300,000	Indicator Panel 연결형
	SUPPORT STAND	바퀴형 Panel용		190,000	210,000	300,000	
	SUPPORT STAND	EXP/EXI Indicator용		250,000	280,000	400,000	
	SUPPORT STAND	EXP/EXI Indicator용(SUS)		370,000	410,000	590,000	EXI-200AD, EXI-600AD

* 고분해플랫폼 (High Resolution Platform Scale) - STEEL (비인증 : IP65 수준)							(단위 : 원 /VAT 별도)
제품사진	제품명	CAPA	1눈의값	대리점가	직판가	소비자가	비 고
280x350	HRP2835-15h	15	0.5	1,890,000	2,080,000	3,020,000	Indicator : CI-605D Loadcell : BCA-TYPE DMP-1P
	HRP2835-30h	30	1	1,890,000	2,080,000	3,020,000	
	HRP2835-60h	60	2	1,890,000	2,080,000	3,020,000	
400x500	HRP4050-60h	60	2	2,170,000	2,390,000	3,470,000	Indicator : CI-605D Loadcell : BCD-TYPE DMP-1P
	HRP4050-120h	120	5	2,170,000	2,390,000	3,470,000	
	HRP4050-150h	150	5	2,170,000	2,390,000	3,470,000	
600x800	HRP6080-150h	150	5	3,110,000	3,420,000	4,980,000	Indicator : CI-605D Loadcell : BSA-TYPE DMP-4P
	HRP6080-300h	300	10	3,110,000	3,420,000	4,980,000	
	HRP6080-600h	600	20	3,380,000	3,720,000	5,410,000	
800x800	HRP8080-150h	150	5	3,380,000	3,720,000	5,410,000	
	HRP8080-300h	300	10	3,380,000	3,720,000	5,410,000	
	HRP8080-600h	600	20	3,790,000	4,170,000	6,060,000	
	HRP8080-1000h	1000	50	4,060,000	4,470,000	6,500,000	
1000x1000	HRP100100-1000h	1000	50	4,330,000	4,760,000	6,930,000	






\* 고분해 플랫폼 (High Resolution Platform Scale) - Stainless Steel (비인증)

(단위 : 원 /VAT 별도)

제품사진	제품명	CAPA	1눈의값	대리점가	직판가	소비자가	비 고
280x350	HRP2835-15h	15	0.5	2,710,000	2,980,000	4,340,000	Indicator : CI-605D Loadcell : BCLS-TYPE DMP-1P
	HRP2835-30h	30	1	2,710,000	2,980,000	4,340,000	
	HRP2835-60h	60	2	2,840,000	3,120,000	4,540,000	
400x500	HRP4050-60h	60	2	2,460,000	2,710,000	3,940,000	Indicator : CI-605D Loadcell : BCLS-TYPE DMP-1P
	HRP4050-120h	120	5	2,460,000	2,710,000	3,940,000	
	HRP4050-150h	150	5	2,460,000	2,710,000	3,940,000	
600x800	HRP6080-150h	150	5	4,310,000	4,740,000	6,900,000	Indicator : CI-605D Loadcell : BSS-TYPE DMP-4P
	HRP6080-300h	300	10	4,740,000	5,210,000	7,580,000	
	HRP6080-600h	600	20	4,740,000	5,210,000	7,580,000	
800x800	HRP8080-150h	150	5	4,310,000	4,740,000	6,900,000	Indicator : CI-605D Loadcell : BSS-TYPE DMP-4P
	HRP8080-300h	300	10	4,740,000	5,210,000	7,580,000	
	HRP8080-600h	600	20	4,740,000	5,210,000	7,580,000	
	HRP8080-1000h	1000	50	5,410,000	5,950,000	8,660,000	
1000x1000	HRP100100-1000h	1000	50	5,680,000	6,250,000	9,090,000	




\* 산업용 계량시스템 (Road Weight)

(단위 : 원 /VAT 별도)

제품사진	제품명	CAPA	1눈의값	대리점가	직판가	소비자가	비 고
	RW-5S	5 ton	2Kg	2,300,000	2,530,000	3,680,000	교정비 별도임
	RW-10S	10 ton	5Kg	2,710,000	2,980,000	4,340,000	
	RW-05L	5 ton	2kg	2,710,000	2,980,000	4,340,000	
	RW-10L	10 ton	5kg	2,980,000	3,280,000	4,770,000	LARGER PLATFORM
	RW-05P	5 ton	2kg	2,710,000	2,980,000	4,340,000	교정비 별도임
	RW-10P	10 ton	5kg	2,710,000	2,980,000	4,340,000	
	RW-15P	15 ton	50kg	2,710,000	2,980,000	4,340,000	
	RW-2601P			1,350,000	1,400,000	2,000,000	
	Dumy plate			310,000	340,000	500,000	OPTION
	RW-15PL	15 ton	50kg	2,440,000	2,680,000	3,900,000	교정비 별도임
	RW-15PLZ	15 ton	50kg	2,440,000	2,680,000	3,900,000	
	RW-5002PL	Graphic LCD		1,080,000	1,190,000	1,730,000	RW-15PL
	RW-5000Z	Graphic LCD		1,480,000	1,630,000	2,370,000	RW-15PLZ
	수납함			310,000	340,000	500,000	시거잭 포함




\* 산업용 계량시스템 (Weighing Machine)

(단위 : 원 /VAT 별도)

제품사진	제품명	CAPA	1눈의값	대리점가	직판가	소비자가	비 고
	CDS PLUS -300 보급형(페인트도장)	300 kg	0.1 kg	6,500,000	7,150,000	10,400,000	반자동 1단
	CDS PLUS-300-EXP	300 kg	0.1 kg				반자동 1단, Indicator, 전원부, 리셉타클, 로드셀 방폭 적용
CDS PLUS-EXP OPTION	방폭 충전기함	방폭플러그 2개 포함					EXP OPTION
	개방형 클램프						
	아크릴 보호 COVER						
	스틸 보호 COVER						
	CFS-2	2000 kg	1 kg				* 기본모델 기준 단가 * 지게차별 견적 진행 요망 * 출장설치비 및 운반비 제외 * 체크 : 자동 봉타입 별도견적
	CFS-3	3000 kg	2 kg				
	CFS-5	5000 kg	5 kg				
	사이드 쉬프트						CFS OPTION
	포크 무버						



CBS-300	300 kg	0.2 kg	3,250,000	3,580,000	5,200,000	설치비 별도
OPTION	RFID 리더기		1,350,000	1,490,000	2,160,000	차량설치비용 : 별도 안테나 케이블,판넬 몰딩 포함
CPS <sup>PLUS</sup> -1	1000kg	0.5kg	1,720,000	1,890,000	2,750,000	인디게이터 CI-200 OPTION : 프린터
CPS <sup>PLUS</sup> -2	2000kg	1kg	1,850,000	2,040,000	2,960,000	
CPS <sup>PLUS</sup> -1,2(SUS)	1000kg 2000kg	0.5kg 1kg	6,000,000	6,600,000	9,600,000	
PRINTER	1000kg 2000kg	0.5kg 1kg	310,000	340,000	500,000	


* 산업용 보조 디스플레이 (Display)				(단위 : 원 /VAT 별도)			
제품사진	제품명	CAPA	1눈의값	대리점가	직판가	소비자가	비 고
	CD-3020	2.3 인치		190,000	210,000	300,000	
	CD-3030	3.0 인치		220,000	240,000	350,000	
	CD-3040	4.0 인치		490,000	540,000	780,000	



* 프린터 (Printer)				(단위 : 원 /VAT 별도)			
제품사진	제품명	CAPA	1눈의값	대리점가	직판가	소비자가	비 고
	DLP-50	RS-232 통신		220,000	240,000	350,000	DLP = 라벨프린터
	BP-1100 PLUS			540,000	590,000	860,000	인쇄방식 : Direct Thermal Thermal Transfer 겸용 인쇄넓이 : 108 mm 통신사양 : Serial,USB,Parallel
	CP-7020	RS-232 통신		310,000	340,000	500,000	티켓 프린터
	CP-7020(TH)	RS-232 통신		310,000	340,000	500,000	써멀 프린터
	CP-7100			250,000	280,000	400,000	panel/ serial/dot
	CP-7200			250,000	280,000	400,000	desk/serial/dot
	CP-7200TH			260,000	290,000	420,000	써멀 프린터
* 프린터 패널 (Printer Panel)				(단위 : 원 /VAT 별도)			
제품사진	제품명	CAPA	1눈의값	대리점가	직판가	소비자가	비 고
	Printer Panel	CP-7100 프린터 내장형		410,000	450,000	660,000	프린터(CP-7100) 포함
	Indicator Panel	인디케이터 전용 패널		170,000	190,000	270,000	인디게이터 미포함

\* TORQUE SENSOR (비접촉 회전식) : 예상납기 (30일이내)

(단위 : 원 /VAT 별도)

제품사진	제품명	CAPA	1눈의값	대리점가	직판가	소비자가	비 고
	SNR	1, 2, 5 kgf·m		2,980,000	3,280,000	4,770,000	RPM 측정 GEAR 기본 내장
		10, 20 kgf·m		3,380,000	3,720,000	5,410,000	
		50 kgf·m		3,660,000	4,030,000	5,860,000	
		100 kgf·m		3,790,000	4,170,000	6,060,000	
		200, 300 kgf·m		4,740,000	5,210,000	7,580,000	
		500 kgf·m		5,680,000	6,250,000	9,090,000	
	SNA	1, 2, 5 kgf·m		2,980,000	3,280,000	4,770,000	RPM 측정불가
	SNF	1, 2, 5 kgf·m		2,980,000	3,280,000	4,770,000	RPM 측정불가
		10, 20 kgf·m		2,980,000	3,280,000	4,770,000	
	SNC	10, 20, 50 kgf·cm		2,980,000	3,280,000	4,770,000	RPM 측정불가
		100, 200 kgf·cm		2,980,000	3,280,000	4,770,000	
		500, 1000 kgf·cm		3,110,000	3,420,000	4,980,000	

\* TORQUE SENSOR (접촉 회전식) : 예상납기 (30일 이내)

(단위 : 원 /VAT 별도)

제품사진	제품명	CAPA	1눈의값	대리점가	직판가	소비자가	비 고
	SA	1, 2, 5 kgf·m		1,350,000	1,490,000	2,160,000	RPM 측정 GEAR : OPTION
		10, 20 kgf·m		1,490,000	1,640,000	2,380,000	
		50, 100 kgf·m		1,890,000	2,080,000	3,020,000	
		200, 300 kgf·m		2,300,000	2,530,000	3,680,000	
		500 kgf·m		4,330,000	4,760,000	6,930,000	
		OPTION(GEAR)		140,000	150,000	220,000	
	SC	5, 10 kgf·cm		1,350,000	1,490,000	2,160,000	RPM 측정불가
		20, 50 kgf·cm		1,490,000	1,640,000	2,380,000	
		100, 200 kgf·cm		1,620,000	1,780,000	2,590,000	
		500, 1000 kgf·cm		1,760,000	1,940,000	2,820,000	
	SCR	5, 10 kgf·cm		1,620,000	1,780,000	2,590,000	RPM 측정 GEAR내장
		20, 50 kgf·cm		1,690,000	1,860,000	2,700,000	
		100, 200 kgf·cm		1,890,000	2,080,000	3,020,000	
		500, 1000 kgf·cm		1,960,000	2,160,000	3,140,000	
	SAF	1, 2, 5 kgf·m		1,620,000	1,780,000	2,590,000	RPM 측정 GEAR : OPTION
		10, 20 kgf·m		1,830,000	2,010,000	2,930,000	
		50, 100 kgf·m		2,100,000	2,310,000	3,360,000	
		200, 300 kgf·m		2,570,000	2,830,000	4,110,000	
		OPTION(GEAR)		140,000	150,000	220,000	
	SF	5, 10, 20 kgf·m		1,760,000	1,940,000	2,820,000	RPM측정불가
		30, 50 kgf·m		2,030,000	2,230,000	3,250,000	


\* TORQUE SENSOR (비회전식) : 예상납기 (30일이내)

(단위 : 원 /VAT 별도)

제품사진	제품명	CAPA	1눈의값	대리점가	직판가	소비자가	비 고
	NE	20, 50, 100 kgf·cm		580,000	640,000	930,000	
		200, 500 kgf·cm		580,000	640,000	930,000	
		1000, 2000 kgf·cm		740,000	810,000	1,180,000	
	NF	10, 20 kgf·cm		680,000	750,000	1,090,000	
		50 ~ 1000 kgf·cm		680,000	750,000	1,090,000	
		20 kgf·m		740,000	810,000	1,180,000	
		50 kgf·m		810,000	890,000	1,300,000	
		100 kgf·m		1,080,000	1,190,000	1,730,000	
		200 kgf·m		1,290,000	1,420,000	2,060,000	
		500 kgf·m		1,760,000	1,940,000	2,820,000	
		1000 kgf·m		3,250,000	3,580,000	5,200,000	
		2000 kgf·m		3,860,000	4,250,000	6,180,000	
	NS	10, 20, 50 kgf·cm		740,000	810,000	1,180,000	
		100 kgf·cm		740,000	810,000	1,180,000	
		200, 500 kgf·cm		740,000	810,000	1,180,000	
		1000, 2000 kgf·cm		880,000	970,000	1,410,000	
		50, 100 kgf·m		1,020,000	1,120,000	1,630,000	
		300, 500 kgf·m		1,490,000	1,640,000	2,380,000	
	NT	20, 50 kgf·cm		680,000	750,000	1,090,000	
		100 kgf·cm		680,000	750,000	1,090,000	
		200, 500 kgf·cm		720,000	790,000	1,150,000	
		1000, 2000 kgf·cm		850,000	940,000	1,360,000	

\* TORQUE SENSOR (OPTION) : RPM / 변위센서 ( 예상납기 : 1주 ~2주)






(단위 : 원 /VAT 별도)

제품사진	제품명	CAPA	1눈의값	대리점가	직판가	소비자가	비 고
	RPM 센서	RS-025		380,000	420,000	610,000	
	LP 변위센서	LP-10		180,000	200,000	290,000	예상납기 : 1주
		LP-30		180,000	200,000	290,000	
		LP-50		200,000	220,000	320,000	
		LP-80		200,000	220,000	320,000	
		LP-100		200,000	220,000	320,000	
	DP 변위센서	DP-S4		230,000	250,000	370,000	동도 社 제품
		DP-S4V		230,000	250,000	370,000	
		DP-10		410,000	450,000	660,000	
		DP-10V		410,000	450,000	660,000	
	CP	500, 1000 mm		470,000	520,000	750,000	예상납기 : 2주
	변위센서	2000 mm		610,000	670,000	980,000	

\* DIGITAL INDICATOR : TORQUE SENSOR용

(단위 : 원 /VAT 별도)





제품사진	제품명	CAPA	1눈의값	대리점가	직판가	소비자가	비 고
	MGI-2100	CAN통신	STANDARD	1,350,000	1,490,000	2,160,000	RS-232C / BCD OUT 기본사양/ 토크전용
	MGI-2200		BCD-OUT (2CH)	2,170,000	2,390,000	3,470,000	토크전용
			토크/RPM 표시	2,440,000	2,680,000	3,900,000	토크/rpm
	OPTION	RS-232C	기본내장	-	-	-	OPTION 동일적용
		BCD-OUT	기본내장	-	-	-	
		A-OUT	전류	270,000	300,000	430,000	
		V-OUT	전압	200,000	220,000	320,000	

	SS-2100	CAN통신(저가)	STANDARD	740,000	810,000	1,180,000	
	OPTION	RS-232C,RS485		110,000	120,000	180,000	
		BCD-OUT		160,000	180,000	260,000	토크센서전용
		A-OUT	전류	270,000	300,000	430,000	
		V-OUT	전압	210,000	230,000	340,000	
	SS-201	LP 변위센서전용(저항식입력)		380,000	420,000	610,000	V-OUT 기본내장
	SS-301	입력방식 : mV (LC,토크센서 mV/V)		340,000	370,000	540,000	
	SS-501	입력방식 : V, mA		340,000	370,000	540,000	
	OPTION	RS-232C/485		110,000	120,000	180,000	OPTION 동일적용
		BCD-OUT		160,000	180,000	260,000	
		A-OUT		100,000	110,000	160,000	
	SS-10W	입력방식 : mV		340,000	370,000	540,000	RS-232C/485 기본내장 V-OUT 기본내장
	SS-20W	입력방식 : V, mA		340,000	370,000	540,000	
	SS-25W	DP 변위센서 전용(DP-S4V)		410,000	450,000	660,000	
	SS-50W	입력방식 : mV (LC,토크센서 mV/V)		540,000	590,000	860,000	
	SS-30W	RS-025 RPM센서 전용		340,000	370,000	540,000	
	OPTION	BCD-OUT		110,000	120,000	180,000	
	SS-100	입력방식 : mV (LC,토크센서 mV/V)		950,000	1,050,000	1,520,000	RS-232C/485 기본내장 A-OUT 기본내장
	SS-200			740,000	810,000	1,180,000	
	SS-130	토크/RPM 접촉식회전형 토크센서 입력방식 : mv		740,000	810,000	1,180,000	
	SS-130D	입력방식 2CH : mV (LC,토크센서 mV/V)		740,000	810,000	1,180,000	
	OPTION	BCD-OUT		100,000	110,000	160,000	

(주)카스 로드셀 가격표





(단위 : 원 /VAT 별도)



* Single Point Load Cell			(단위 : 원 /VAT 별도)							
TYPE	Protection Class	출력값 (output)	MODEL	대리점가	직판가	권장소비자가	비 고			
<div>BC</div> 		0.48 mV/V	BC-120M	60,000	70,000	110,000	MW-200			
			BC-1.2M	60,000	70,000	110,000	MW-2000			
		1 mV/V	BC-3AS	50,000	60,000	90,000	2.5CS, AD-2.5			
			BC-5AS	50,000	60,000	90,000	AD-5			
			BC-12APS	50,000	60,000	90,000	10CS,AD-10			
		1.2 mV/V	BC-15AS	50,000	60,000	90,000	AP-15			
			BC-30AS	50,000	60,000	90,000	AP-30			
			BC-30DS	60,000	70,000	110,000	30AC			
			BC-60DS	60,000	70,000	110,000	50AC,DB-60(H)			
			BC-150DP	60,000	70,000	110,000	150A,DB-200			
BCO-60L	50,000		60,000	90,000	DB-60(H)					
<div>BCO</div> 			BCO-150L	50,000	60,000	90,000	150A,DB-200			
			<div>BCW</div> 	IP68	1.5 mV/V	BCW-150L	80,000	90,000	140,000	DB-II, BW-1N, EB-TYPE 60kg, 150kg(공용) [방수형 로드셀]
<div>BCLS</div> 	IP67	2 mV/V	BCLS-10L	180,000	210,000	320,000	Stainless Steel			
			BCLS-15L	180,000	210,000	320,000				
			BCLS-20L	180,000	210,000	320,000				
			BCLS-30L	180,000	210,000	320,000				
			BCLS-50L	180,000	210,000	320,000				
		1 mV/V	BCLS-60L	220,000	250,000	380,000				
			BCLS-150L	220,000	250,000	380,000				
<div>BCL-LOW</div> 	IP65	1 mV/V	BCL-1L	70,000	80,000	120,000	Low-Profile			
			BCL-2L	70,000	80,000	120,000				
			BCL-3L	70,000	80,000	120,000				
		2 mV/V	BCL-6L	70,000	80,000	120,000	OIML C3 approved 저가형			
			BCL-10L	70,000	80,000	120,000				
			BCL-15L	70,000	80,000	120,000				
			BCL-20L	70,000	80,000	120,000				
			BCL-30L	70,000	80,000	120,000				
			BCL-60L	70,000	80,000	120,000				
<div>BCL-HIGH</div> 		2 mV/V	BCL-100L	70,000	80,000	120,000	Low-Profile 저가형			
			BCL-150L	70,000	80,000	120,000				
			BCL-200L	70,000	80,000	120,000				

## (주)카스 로드셀 가격표



(단위 : 원 /VAT 별도)

* Single Point Load Cell							
TYPE	Protection Class	출력값 (output)	MODEL	대리점가	직판가	권장소비자가	비 고
BCA 	IP65	2 mV/V	BCA-5L	70,000	80,000	120,000	OIML C3 approved NTEP III 5000S
			BCA-10L	70,000	80,000	120,000	
			BCA-15L	70,000	80,000	120,000	
			BCA-20L	70,000	80,000	120,000	
			BCA-30L	70,000	80,000	120,000	
			BCA-50L	70,000	80,000	120,000	
			BCA-75L	70,000	80,000	120,000	
			BCA-100L	70,000	80,000	120,000	
			BCA-XXL	80,000	90,000	140,000	NTEP 사양
BCD 	IP65	2 mV/V	BCD-100L	70,000	80,000	120,000	OIML C3 approved
			BCD-150L	70,000	80,000	120,000	
			BCD-250L	70,000	80,000	120,000	
			BCD-300L	70,000	80,000	120,000	
			BCD-500L	70,000	80,000	120,000	
BC-F	IP65	1.2 mV/V	BC-300F	110,000	130,000	200,000	ND-300E
			BC-600F	110,000	130,000	200,000	300D
BC-P	IP65	1.2 mV/V	BC-150P	80,000	90,000	140,000	300A
			BC-300P	80,000	90,000	140,000	500A,600A
			BC-500P	80,000	90,000	140,000	1000A우





* Single Point Load Cell							
TYPE	Protection Class	출력값 (output)	MODEL	대리점가	직판가	권장소비자가	비 고
BCM 	IP65	2 mV/V	BCM-50L	110,000	130,000	200,000	OIML C3 approved NTEP III 5000S
			BCM-75L	110,000	130,000	200,000	
			BCM-100L	110,000	130,000	200,000	
			BCM-150L	110,000	130,000	200,000	
			BCM-200L	110,000	130,000	200,000	
			BCM-300L	120,000	140,000	210,000	
			BCM-500L	120,000	140,000	210,000	
BCH 	IP65	2 mV/V	BCH-500L	240,000	280,000	420,000	Large Platform application
			BCH-1	240,000	280,000	420,000	
			BCH-1.5	240,000	280,000	420,000	
			BCH-2	240,000	280,000	420,000	



(주)카스 로드셀 가격표



(단위 : 원 /VAT 별도)

* Bending & Shear Beam Load Cell							
TYPE	Protection Class	출력값 (output)	MODEL	대리점가	직판가	권장소비자가	비 고
	IP67	2 mV/V	HBS-10L	170,000	200,000	300,000	OIML C3 approved
			HBS-20L	170,000	200,000	300,000	
			HBS-50L	170,000	200,000	300,000	
			HBS-100L	170,000	200,000	300,000	
			HBS-200L	170,000	200,000	300,000	
			HBS-500L	190,000	220,000	330,000	
	IP66	3 mV/V	BSA-250L	70,000	80,000	120,000	OIML C3 approved NTEP III 5000S
			BSA-500L	70,000	80,000	120,000	
			BSA-1	70,000	80,000	120,000	
			BSA-2	70,000	80,000	120,000	
			BSA-3	110,000	130,000	200,000	
			BSA-5	110,000	130,000	200,000	
	IP66	3 mV/V	BSB-150L	80,000	90,000	140,000	Mounting 공간 필요 없음
			BSB-250L	70,000	80,000	120,000	
			BSB-500L	70,000	80,000	120,000	
			BSB-1	70,000	80,000	120,000	
			BSB-2	70,000	80,000	120,000	
			BSB-3	100,000	120,000	180,000	
			BSB-5	100,000	120,000	180,000	
			BSB-10	160,000	180,000	270,000	
	IP66	3 mV/V	BSH-500L	120,000	140,000	210,000	Hammer head Link Beam Application
			BSH-1	120,000	140,000	210,000	
			BSH-2	120,000	140,000	210,000	
			BSH-3	140,000	160,000	240,000	
			BSH-5	140,000	160,000	240,000	




(주)카스 로드셀 가격표



(단위 : 원 /VAT 별도)

* Bending & Shear Beam Load Cell							
TYPE	Protection Class	출력값 (output)	MODEL	대리점가	직판가	권장소비자가	비 고
BSAP			BSAP-1	100,000	120,000	180,000	CPS-1
			BSAP-2	100,000	120,000	180,000	CPS-2
	IP67	2 mV/V	BSS-500L	230,000	260,000	390,000	OIML C3 approved
			BSS-1	240,000	280,000	420,000	
			BSS-2	240,000	280,000	420,000	
			BSS-3	300,000	350,000	530,000	
			BSS-5	300,000	350,000	530,000	
	IP65	1.5 mV/V	BS-250L	70,000	80,000	120,000	
		2 mV/V	BS-500L	70,000	80,000	120,000	
			BS-1	70,000	80,000	120,000	
			BS-2	70,000	80,000	120,000	
			BS-5	110,000	130,000	200,000	
			BS-10	240,000	280,000	420,000	




\* S-Beam Load Cell (단위 : 원 /VAT 별도)

TYPE	Protection Class	출력값 (output)	MODEL	대리점가	직판가	권장소비자가	비 고
	IP65	3 mV/V	SBA-25L	100,000	120,000	180,000	OIML C3 approved NTEP III 5000S
			SBA-50L	100,000	120,000	180,000	
			SBA-100L	100,000	120,000	180,000	
			SBA-200L	100,000	120,000	180,000	
			SBA-500L	100,000	120,000	180,000	
			SBA-1	100,000	120,000	180,000	
			SBA-2	110,000	130,000	200,000	
			SBA-3	110,000	130,000	200,000	
			SBA-5	140,000	160,000	240,000	
		1.2 mV/V	SBAS-10L	180,000	210,000	320,000	Miniature Load Cell
	IP68	2 mV/V	SBS-500L	220,000	250,000	380,000	
			SBS-1	220,000	250,000	380,000	
			SBS-2	230,000	260,000	390,000	
			SBS-5	360,000	410,000	620,000	
	IP65	2 mV/V	SB-20L	90,000	100,000	150,000	
			SB-50L	90,000	100,000	150,000	
			SB-75L	90,000	100,000	150,000	
			SB-100L	90,000	100,000	150,000	
			SB-200L	90,000	100,000	150,000	
			SB-250L	90,000	100,000	150,000	
			SB-500L	100,000	120,000	180,000	
			SB-1	110,000	130,000	200,000	
			SB-2	110,000	130,000	200,000	

(주)카스 로드셀 가격표







(단위 : 원 /VAT 별도)

* Canister Load Cell			(단위 : 원 /VAT 별도)				
TYPE	Protection Class	출력값 (output)	MODEL	대리점가	직판가	권장소비자가	비 고
<div>CC CT</div> 	IP67	3 mV/V	CC(T)-20L(B)	220,000	250,000	380,000	압축용 : CC-type 인장용 : CT-type 밀폐형구조
			CC(T)-50L(B)	220,000	250,000	380,000	
			CC(T)-100L(B)	220,000	250,000	380,000	
			CC(T)-200L(B)	220,000	250,000	380,000	
			CC(T)-300L(B)	220,000	250,000	380,000	
			CC(T)-500L(B)	220,000	250,000	380,000	
			CC(T)-1B	220,000	250,000	380,000	
			CC(T)-2B	230,000	260,000	390,000	
			CC(T)-3B	230,000	260,000	390,000	
			CC(T)-5B	230,000	260,000	390,000	
			CC(T)-10B	500,000	580,000	870,000	
			CC(T)-20B	600,000	690,000	1,040,000	
			<div>CTS</div> 	IP68	3 mV/V	CTS-200L	
CTS-500L	360,000	410,000				620,000	
CTS-1	360,000	410,000				620,000	
CTS-2	380,000	440,000				660,000	
CTS-3	380,000	440,000				660,000	
CTS-5	380,000	440,000				660,000	
<div>HC</div> 	IP67	2 mV/V	HC-20	420,000	480,000	720,000	고중량 밀폐형구조
			HC-30	420,000	480,000	720,000	
			HC-50	540,000	620,000	930,000	
			HC-100	780,000	900,000	1,350,000	
			HC-200	840,000	970,000	1,460,000	
			HC-300	960,000	1,100,000	1,650,000	
<div>HCP</div> 	IP67	2 mV/V	HCP-20	660,000	760,000	1,140,000	고중량 밀폐형구조
			HCP-30	660,000	760,000	1,140,000	
			HCP-50	720,000	830,000	1,250,000	
			HCP-100	840,000	970,000	1,460,000	
			HCP-200	960,000	1,100,000	1,650,000	

(주)카스 로드셀 가격표






(단위 : 원 /VAT 별도)

* Pan Cake Load Cell							
TYPE	Protection Class	출력값 (output)	MODEL	대리점가	직판가	권장소비자가	비 고
	IP67	2 mV/V	LS-1B	280,000	320,000	480,000	밀폐형 구조 인장 & 압축겸용
			LS-2B	280,000	320,000	480,000	
			LS-3B	280,000	320,000	480,000	
			LS-5B	300,000	350,000	530,000	
			LS-10B	320,000	370,000	560,000	
			LS-20B	420,000	480,000	720,000	
			LS-30B	420,000	480,000	720,000	
			LSU-50	720,000	830,000	1,250,000	
			LSU-100	1,200,000	1,380,000	2,070,000	
			LSU-200	1,800,000	2,070,000	3,110,000	
			LSU-300	2,640,000	3,040,000	4,560,000	
	IP67	4 mV/V	LSB-20	420,000	480,000	720,000	높은출력(4mV/V)
	IP67	3 mV/V	LSC-2	300,000	350,000	530,000	밀폐형 구조 인장용
			LSC-5	300,000	350,000	530,000	
			LSC-10	360,000	410,000	620,000	
			LSC-20	420,000	480,000	720,000	
			LSC-50	720,000	830,000	1,250,000	
			LSC-100	1,080,000	1,240,000	1,860,000	
			LSC-200	1,080,000	1,240,000	1,860,000	
	IP68	2 mV/V	LSS-1B	440,000	510,000	770,000	밀폐형 구조 인장 & 압축겸용
			LSS-2B	440,000	510,000	770,000	
			LSS-3B	440,000	510,000	770,000	
			LSS-5B	480,000	550,000	830,000	
			LSS-10B	530,000	610,000	920,000	
			LSS-20B	720,000	830,000	1,250,000	
			LSS-30B	780,000	900,000	1,350,000	
			LSS-50B	1,320,000	1,520,000	2,280,000	

(주)카스 로드셀 가격표



(단위 : 원 /VAT 별도)

* Minature Load Cell							
TYPE	Protection Class	출력값 (output)	MODEL	대리점가	직판가	권장소비자가	비 고
<div>MNC</div> 	IP67	2 mV/V	MNC-50L	190,000	220,000	330,000	밀폐형 구조 인장용
			MNC-100L	190,000	220,000	330,000	
			MNC-200L	190,000	220,000	330,000	
			MNC-500L	190,000	220,000	330,000	
			MNC-1	190,000	220,000	330,000	
			MNC-2	190,000	220,000	330,000	
		2 mV/V	MNC-5	240,000	280,000	420,000	
			MNC-10	300,000	350,000	530,000	
			MNC-20	360,000	410,000	620,000	
<div>NMNC</div> 	IP65	2 mV/V	NMNC-50L	190,000	220,000	330,000	Sub-Miniature 인장용
			NMNC-100L	190,000	220,000	330,000	
			NMNC-200L	190,000	220,000	330,000	
			NMNC-500L	190,000	220,000	330,000	
			NMNC-1	220,000	250,000	380,000	
			NMNC-2	220,000	250,000	380,000	
			NMNC-3	220,000	250,000	380,000	
<div>MNT</div> 	IP65	2 mV/V	MNT-50L	250,000	290,000	440,000	밀폐형 구조 압축용
			MNT-100L	250,000	290,000	440,000	
			MNT-200L	250,000	290,000	440,000	
			MNT-500L	250,000	290,000	440,000	

(주)카스 로드셀 가격표



(단위 : 원 /VAT 별도)

* Truk & Tank Weighing Load Cell			(단위 : 원 /VAT 별도)				
TYPE	Protection Class	출력값 (output)	MODEL	대리점가	직판가	권장소비자가	비 고
<div>WBK</div> 	IP67	2 mV/V	WBK-10	400,000	460,000	690,000	OIML C3 approved Accessory 포함
			WBK-20	400,000	460,000	690,000	
			WBK-25	400,000	460,000	690,000	
			WBK-30	400,000	460,000	690,000	
			WBK-50	620,000	710,000	1,070,000	
			NWBK-10	400,000	460,000	690,000	
			NWBK-25	400,000	460,000	690,000	
			NWBK-30	400,000	460,000	690,000	
<div>DSB</div> 	IP67	2 mV/V	DSB-20	400,000	460,000	690,000	Accessory 포함
			DSB-20LC	350,000	400,000	600,000	Accessory 별도
			DSB-25B	240,000	280,000	420,000	Accessory 포함
			DSB-25BLC	220,000	250,000	380,000	Accessory 별도
			DSB-30B	420,000	480,000	720,000	Accessory 포함
			DSB-30BLC	400,000	460,000	690,000	Accessory 별도
<div>DES</div> 	IP67	2 mV/V	DES-10B	170,000	200,000	300,000	Accessory 포함
			DES-15B	180,000	210,000	320,000	
			DES-10B(LC)	140,000	160,000	240,000	Accessory 별도
			DES-15B(LC)	140,000	160,000	240,000	
DSBT	IP67	2 mV/V	DSBT-500L	420,000	480,000	720,000	Accessory 별도
			DSBT-1.5T	420,000	480,000	720,000	
			DSBT-2T	420,000	480,000	720,000	
			DSBT-3T	540,000	620,000	930,000	
			DSBT-5T	600,000	690,000	1,040,000	
			DSBT-10T	660,000	760,000	1,140,000	
DSBV	IP67	1.2 mV/V	DSBV-1T	720,000	830,000	1,250,000	Accessory 별도
			DSBV-2T	720,000	830,000	1,250,000	

(주)카스 로드셀 가격표



(단위 : 원 /VAT 별도)

\* Special Application Load Cell

TYPE	Protection Class	출력값 (output)	MODEL	대리점가	직판가	권장소비자가	비 고
	IP63	2 mV/V	SPL-20L-A	240,000	280,000	420,000	Slim Profile(25mm) SUS Cover Plate
			SPL-20L-B	240,000	280,000	420,000	
			SPL-50L-A	290,000	330,000	500,000	
			SPL-50L-B	290,000	330,000	500,000	
			SPL-60L	300,000	350,000	530,000	
			SPL-100L	420,000	480,000	720,000	
			SPL-150L	420,000	480,000	720,000	
			SPL-200L	420,000	480,000	720,000	
			SPL-300L	480,000	550,000	830,000	
			SPL-400L	480,000	550,000	830,000	
			EPL-100L	240,000	280,000	420,000	
SPL OPTION		4 ~ 20mA	TRANSMITTER	120,000	140,000	210,000	주문시 선택사양
	IP65	0.5 mV/V	SMN-1L	180,000	210,000	320,000	Sub-Miniature 인장용
			SMN-2L	180,000	210,000	320,000	
			SMN-5L	180,000	210,000	320,000	
		1 mV/V	SMN-10L	200,000	230,000	350,000	
			SMN-20L	200,000	230,000	350,000	
			SMN-30L	200,000	230,000	350,000	
			SMN-50L	200,000	230,000	350,000	
			SMN-100L	200,000	230,000	350,000	
			SMN-200L	200,000	230,000	350,000	
			SMN-500L	200,000	230,000	350,000	
			SMN-1	220,000	250,000	380,000	
			SMN-2	220,000	250,000	380,000	
	IP66	1.7 mV/V	CPA-500L	180,000	210,000	320,000	RW-S,L,P
			CPA-1	180,000	210,000	320,000	
			CPA-2	180,000	210,000	320,000	
			CPA-3	180,000	210,000	320,000	
			CPA-5	180,000	210,000	320,000	
			FOOT ASS'Y	60,000	70,000	110,000	ACCESSORY

(주)카스 로드셀 가격표



(단위 : 원 /VAT 별도)

* Special Application Load Cell							
TYPE	Protection Class	출력값 (output)	MODEL	대리점가	직판가	권장소비자가	비 고
BCK	IP63	2 mV/V	BCK-1L	160,000	180,000	270,000	인장 & 압축겸용 Overload Protection
			BCK-2L	160,000	180,000	270,000	
			BCK-5L	160,000	180,000	270,000	
			BCK-10L	160,000	180,000	270,000	
			BCK-25L	160,000	180,000	270,000	
			BCK-50L	160,000	180,000	270,000	
	IP67	1.5 mV/V	CHE-20	420,000	480,000	720,000	
			CHE-30	420,000	480,000	720,000	
			CHE-50	420,000	480,000	720,000	
			CHE-100A	600,000	690,000	1,040,000	
			CHE-100B	600,000	690,000	1,040,000	
			CHE-150A	660,000	760,000	1,140,000	
			CHE-150B	660,000	760,000	1,140,000	
			CHE-200	780,000	900,000	1,350,000	
CHE	IP67	1.5 mV/V	CHE-KM-6	360,000	410,000	620,000	
			CHE-KM-10	360,000	410,000	620,000	
			CHE-KM-20	380,000	440,000	660,000	
			CHE-KM-30	400,000	460,000	690,000	
			CHE-KM-50	420,000	480,000	720,000	
	IP67	1 mV/V	LSW-1T	360,000	410,000	620,000	인장형
			LSW-2T	360,000	410,000	620,000	
			LSW-3T	360,000	410,000	620,000	
			LSW-5T	500,000	580,000	870,000	
LSH	IP67	2 mV/V	LSH-10T	540,000	620,000	930,000	고온용로드셀
	IP63	0.5 mV/V	MAS101(2축)	2,880,000	3,310,000	4,970,000	다축로드셀 Capa : 2~ 50kg
			MAS110(2축)	2,880,000	3,310,000	4,970,000	
			MAS112(3축)	4,320,000	4,970,000	7,460,000	
			MAS121(3축)	4,320,000	4,970,000	7,460,000	
			MAS332(5축)	7,200,000	8,280,000	12,420,000	
			MAS333(6축)	9,000,000	10,350,000	15,530,000	

* Digital Load Cell							
TYPE	Protection Class	출력값 (output)	MODEL	대리점가	직판가	권장소비자가	비 고
DSB-D			DSB-25D	400,000	460,000	690,000	
WBK-D			WBK-20D	660,000	760,000	1,140,000	
			WBK-25D	660,000	760,000	1,140,000	
			WBK-30D	660,000	760,000	1,140,000	





## (주)카스 방폭로드셀 가격표



(단위 : 원 /VAT 별도)

### \* Explosion Proof Single Point Load Cell


TYPE	Protection Class	출력값 (output)	MODEL	대리점가	직판가	권장소비자가	비 고
BCA-EXP 	IP65	2 mV/V	BCA-5L-EXP	140,000	150,000	230,000	OIML C3 NTEP III 5000S  본질안전방폭구조 (Ex ia IIC T4)
			BCA-6L-EXP	140,000	150,000	230,000	
			BCA-10L-EXP	140,000	150,000	230,000	
			BCA-15L-EXP	140,000	150,000	230,000	
			BCA-20L-EXP	140,000	150,000	230,000	
			BCA-30L-EXP	140,000	150,000	230,000	
			BCA-50L-EXP	140,000	150,000	230,000	
			BCA-60L-EXP	140,000	150,000	230,000	
			BCA-75L-EXP	140,000	150,000	230,000	
			BCA-100L-EXP	140,000	150,000	230,000	
BCD-EXP 	IP65	2 mV/V	BCD-75L-EXP	150,000	170,000	260,000	OIML C3  본질안전방폭구조 (Ex ia IIC T4)
			BCD-100L-EXP	150,000	170,000	260,000	
			BCD-150L-EXP	150,000	170,000	260,000	
			BCD-250L-EXP	150,000	170,000	260,000	
			BCD-300L-EXP	150,000	170,000	260,000	
			BCD-500L-EXP	150,000	170,000	260,000	

## (주)카스 방폭로드셀 가격표





(단위 : 원 /VAT 별도)

### \* Explosion Proof Single Point Load Cell

TYPE	Protection Class	출력값 (output)	MODEL	대리점가	직판가	권장소비자가	비 고
BCEP-EXP  MATERIAL : SUS 630  	IP67	2 mV/V	BCEP-100L(EXP)	440,000	480,000	720,000	본질안전방폭구조 (Ex ia IIC T4)
			BCEP-200L(EXP)	440,000	480,000	720,000	
			BCEP-300L(EXP)	440,000	480,000	720,000	
			BCEP-100L(EXP)	440,000	480,000	720,000	내압방폭구조 (Ex d IIC T7)
			BCEP-200L(EXP)	440,000	480,000	720,000	
			BCEP-300L(EXP)	440,000	480,000	720,000	
	IP66		BCEP-100L(EXP)	440,000	480,000	720,000	분진방폭구조 (Ex tD A21 T135°C IP69)
			BCEP-200L(EXP)	440,000	480,000	720,000	
			BCEP-300L(EXP)	440,000	480,000	720,000	

### \* Explosion Proof Bending Load Cell

(단위 : 원 /VAT 별도)


TYPE	Protection Class	출력값 (output)	MODEL	대리점가	직판가	권장소비자가	비 고
HBS-EXP  	IP67	2 mV/V	HBS-10L-EXP	230,000	250,000	380,000	OIML C3  본질안전방폭구조 (Ex ia IIC T4)
			HBS-20L-EXP	230,000	250,000	380,000	
			HBS-50L-EXP	230,000	250,000	380,000	
			HBS-100L-EXP	230,000	250,000	380,000	
			HBS-200L-EXP	230,000	250,000	380,000	
			HBS-250L-EXP	230,000	250,000	380,000	
			HBS-500L-EXP	230,000	250,000	380,000	
HBS-EXP  	IP67	2 mV/V	HBS-10L-EXP-D	230,000	250,000	380,000	OIML C3  내압방폭구조 (Ex d IIC T4)
			HBS-20L-EXP-D	230,000	250,000	380,000	
			HBS-50L-EXP-D	230,000	250,000	380,000	
			HBS-100L-EXP-D	230,000	250,000	380,000	
			HBS-200L-EXP-D	230,000	250,000	380,000	
			HBS-250L-EXP-D	230,000	250,000	380,000	
			HBS-500L-EXP-D	230,000	250,000	380,000	

## (주)카스 방폭로드셀 가격표



### \* Explosion Proof Shear Beam Load Cell

(단위 : 원 /VAT 별도)




TYPE	Protection Class	출력값 (output)	MODEL	대리점가	직판가	권장소비자가	비 고
	IP67	2 mV/V	BSS-500L-EXP	280,000	310,000	470,000	OIML C3 본질안전방폭구조 (Ex ia IIC T4)
			BSS-1-EXP	280,000	310,000	470,000	
			BSS-2-EXP	280,000	310,000	470,000	
			BSS-3-EXP	390,000	430,000	650,000	
			BSS-5-EXP	390,000	430,000	650,000	
	IP67	2 mV/V	BSS-500L-EXP-D	280,000	310,000	470,000	내압방폭구조 (Ex d IIC T4)
			BSS-1-EXP-D	280,000	310,000	470,000	
			BSS-2-EXP-D	280,000	310,000	470,000	
			BSS-3-EXP-D	390,000	430,000	650,000	
			BSS-5-EXP-D	390,000	430,000	650,000	
	IP66	2 mV/V	BSS-500L-EXP-TD	280,000	310,000	470,000	분진방폭구조 (Ex tD A21 T135°C IP66)
			BSS-1-EXP-TD	280,000	310,000	470,000	
			BSS-2-EXP-TD	280,000	310,000	470,000	
			BSS-3-EXP-TD	390,000	430,000	650,000	
			BSS-5-EXP-TD	390,000	430,000	650,000	

## (주)카스 방폭로드셀 가격표



### \* Explosion Proof S-Beam Load Cell

(단위 : 원 /VAT 별도)

TYPE	Protection Class	출력값 (output)	MODEL	대리점가	직판가	권장소비자가	비 고
SBS-EXP 	IP68	2 mV/V	SBS-500L-EXP	260,000	290,000	440,000	OIML C3  본질안전방폭구조 (Ex ia IIC T4)
			SBS-1-EXP	260,000	290,000	440,000	
			SBS-2-EXP	290,000	320,000	480,000	
			SBS-5-EXP	310,000	340,000	510,000	
SBS-EXP 	IP68	2 mV/V	SBS-500L-EXP-D	260,000	290,000	440,000	내압방폭구조 (Ex d IIC T4)
			SBS-1-EXP-D	260,000	290,000	440,000	
			SBS-2-EXP-D	290,000	320,000	480,000	
			SBS-5-EXP-D	310,000	340,000	510,000	
SBS-EXP 	IP66	2 mV/V	SBS-500L-EXP-TD	260,000	290,000	440,000	분진방폭구조 (Ex tD A21 T135°C IP66)
			SBS-1-EXP-TD	260,000	290,000	440,000	
			SBS-2-EXP-TD	290,000	320,000	480,000	
			SBS-5-EXP-TD	310,000	340,000	510,000	

## (주)카스 방폭로드셀 가격표



(단위 : 원 /VAT 별도)

### \* Explosion Proof Canister Load Cell

TYPE	Protection Class	출력값 (output)	MODEL	대리점가	직판가	권장소비자가	비 고
CTS-EXP 	IP68	3 mV/V	CTS-500L-EXP	390,000	430,000	650,000	인장용 밀폐형구조  본질안전방폭구조 (Ex ia IIC T4)
			CTS-1-EXP	390,000	430,000	650,000	
			CTS-2-EXP	460,000	510,000	770,000	
			CTS-3-EXP	460,000	510,000	770,000	
			CTS-5-EXP	460,000	510,000	770,000	
CTS-EXP 	IP68	3 mV/V	CTS-200L-EXP-D	390,000	430,000	650,000	인장용 압축용 : Option 밀폐형구조  내압방폭구조 (Ex d IIC T4)
			CTS-300L-EXP-D	390,000	430,000	650,000	
			CTS-500L-EXP-D	390,000	430,000	650,000	
			CTS-1-EXP-D	390,000	430,000	650,000	
			CTS-2-EXP-D	460,000	510,000	770,000	
			CTS-3-EXP-D	460,000	510,000	770,000	
			CTS-5-EXP-D	460,000	510,000	770,000	
CTS-EXP 	IP68	3 mV/V	CTS-200L-EXP-TD	390,000	430,000	650,000	인장용 압축용 : Option 밀폐형구조  분진방폭구조 (Ex tD A21 T135°C IP68)
			CTS-300L-EXP-TD	390,000	430,000	650,000	
			CTS-500L-EXP-TD	390,000	430,000	650,000	
			CTS-1-EXP-TD	390,000	430,000	650,000	
			CTS-2-EXP-TD	460,000	510,000	770,000	
			CTS-3-EXP-TD	460,000	510,000	770,000	
			CTS-5-EXP-TD	460,000	510,000	770,000	

## (주)카스 방폭로드셀 가격표






(단위 : 원 /VAT 별도)

### \* Explosion Proof Pancake Load Cell

TYPE	Protection Class	출력값 (output)	MODEL	대리점가	직판가	권장소비자가	비 고
	IP67	2 mV/V	LS-1B-EXP	390,000	430,000	650,000	밀폐형 구조 인장 & 압축겸용  본질안전방폭구조 (Ex ia IIC T4)
			LS-2B-EXP	390,000	430,000	650,000	
			LS-3B-EXP	390,000	430,000	650,000	
			LS-5B-EXP	400,000	440,000	660,000	
			LS-10B-EXP	420,000	460,000	690,000	
			LS-20B-EXP	500,000	550,000	830,000	
			LS-30B-EXP	500,000	550,000	830,000	
			LSU-50-EXP	770,000	850,000	1,280,000	
			LSU-100-EXP	1,430,000	1,570,000	2,360,000	
			LSU-200-EXP	1,760,000	1,940,000	2,910,000	
	IP67	2 mV/V	LS-1B-EXP-D	410,000	450,000	680,000	내압방폭구조 (Ex d IIC T4)
			LS-2B-EXP-D	410,000	450,000	680,000	
			LS-3B-EXP-D	410,000	450,000	680,000	
			LS-5B-EXP-D	430,000	470,000	710,000	
			LS-10B-EXP-D	460,000	510,000	770,000	
			LS-20B-EXP-D	500,000	550,000	830,000	
			LS-30B-EXP-D	500,000	550,000	830,000	
			LSU-50-EXP-D	770,000	850,000	1,280,000	
	IP68	2 mV/V	LS-1B-EXP-TD	390,000	430,000	650,000	분진방폭구조 (Ex tD A21 T135°C IP68)
			LS-2B-EXP-TD	390,000	430,000	650,000	
			LS-3B-EXP-TD	390,000	430,000	650,000	
			LS-5B-EXP-TD	400,000	440,000	660,000	
			LS-10B-EXP-TD	420,000	460,000	690,000	
			LS-20B-EXP-TD	500,000	550,000	830,000	
			LS-30B-EXP-TD	500,000	550,000	830,000	
			LSU-50-EXP-TD	770,000	850,000	1,280,000	

## (주)카스 방폭로드셀 가격표






LSS-EXP 	IP68	2 mV/V	LSS-1B-EXP	500,000	550,000	830,000	밀폐형 구조 인장 & 압축겸용  본질안전방폭구조 (Ex ia IIC T4)
			LSS-2B-EXP	500,000	550,000	830,000	
			LSS-3B-EXP	500,000	550,000	830,000	
			LSS-5B-EXP	530,000	580,000	870,000	
			LSS-10B-EXP	570,000	630,000	950,000	
			LSS-20B-EXP	740,000	810,000	1,220,000	
			LSS-30B-EXP	770,000	850,000	1,280,000	
			LSS-50B-EXP	1,430,000	1,570,000	2,360,000	
LSS-EXP-D 	IP68	2 mV/V	LSS-1B-EXP-D	520,000	570,000	860,000	내압방폭구조 (Ex d IIC T4)
			LSS-2B-EXP-D	520,000	570,000	860,000	
			LSS-3B-EXP-D	520,000	570,000	860,000	
			LSS-5B-EXP-D	550,000	610,000	920,000	
			LSS-10B-EXP-D	590,000	650,000	980,000	
			LSS-20B-EXP-D	790,000	870,000	1,310,000	
			LSS-30B-EXP-D	830,000	910,000	1,370,000	
			LSS-50B-EXP-D	1,430,000	1,570,000	2,360,000	
LSS-EXP-TD 	IP68	2 mV/V	LSS-1B-EXP-TD	520,000	570,000	860,000	분진방폭구조 (Ex tD A21 T135°C IP68)
			LSS-2B-EXP-TD	520,000	570,000	860,000	
			LSS-3B-EXP-TD	520,000	570,000	860,000	
			LSS-5B-EXP-TD	550,000	610,000	920,000	
			LSS-10B-EXP-TD	590,000	650,000	980,000	
			LSS-20B-EXP-TD	790,000	870,000	1,310,000	
			LSS-30B-EXP-TD	830,000	910,000	1,370,000	
			LSS-50B-EXP-TD	1,430,000	1,570,000	2,360,000	

## (주)카스 방폭로드셀 가격표



### \* Explosion Proof Truck & Tank Weighing Load Cell

(단위 : 원 /VAT 별도)

TYPE	Protection Class	출력값 (output)	MODEL	대리점가	직판가	권장소비자가	비 고
WBK-EXP 	IP67	2 mV/V	WBK-10-EXP	440,000	480,000	720,000	OIML C3  본 질안전방폭구조 (Ex ia IIC T4)
			WBK-25-EXP	440,000	480,000	720,000	
			WBK-30-EXP	440,000	480,000	720,000	
			WBK-50-EXP	660,000	730,000	1,100,000	
WBK-EXP 	IP67	2 mV/V	WBK-10-EXP-D	440,000	480,000	720,000	Accessory 포함 OIML C3  내압방폭구조 (Ex d IIC T4)
			WBK-20-EXP-D	440,000	480,000	720,000	
			WBK-25-EXP-D	440,000	480,000	720,000	
			WBK-30-EXP-D	440,000	480,000	720,000	
			WBK-50-EXP-D	660,000	730,000	1,100,000	
			WBK-100-EXP-D	800,000	880,000	1,320,000	
WBK-EXP 	IP68	2 mV/V	WBK-10-EXP-TD	440,000	480,000	720,000	Accessory 포함 OIML C3  분진방폭구조 (Ex tD A21 T135°C IP68)
			WBK-20-EXP-TD	440,000	480,000	720,000	
			WBK-25-EXP-TD	440,000	480,000	720,000	
			WBK-30-EXP-TD	440,000	480,000	720,000	
			WBK-50-EXP-TD	660,000	730,000	1,100,000	
			WBK-100-EXP-TD	800,000	880,000	1,320,000	




## (주)카스 미니어처로드셀 가격표




### \* Miniature Compression Force Sensor

(단위 : 원 /VAT 별도)

TYPE	Protection Class	CAPA	출력값 (output)	대리점가	직판가	권장소비자가	비 고
	SMNC-08	3,5,10,20,30,50,100 kg	0.5mV/V(3~5kg) 1.0~1.5mV/V(10~100kg)	220,000	280,000	420,000	
	SMNC-10	3,5,10,15,20,30,50,60,100 kg	1.0~1.5mV/V	220,000	280,000	420,000	
	SMNC-12	5,10,20,30,50,100 kg	1.0~1.5mV/V	220,000	280,000	420,000	
	SMNC-13	5,10,20,30,50,75,100 kg	1.0~1.5mV/V	220,000	280,000	420,000	
	SMNC-15	5,10,20,30,50,100,200,250,300,500 kg	1.0~1.5mV/V	220,000	280,000	420,000	
	SMNC-19	5,10,20,30,50,100,150,200,300,500 kg	1.0~1.5mV/V	220,000	280,000	420,000	
	SMNC-20-3M	5,10,20,30,50 kg	1.0~1.5mV/V	220,000	280,000	420,000	
	SMNC-20-4M	5,10,20,30,50,100,200,300,500 kg	1.0~1.5mV/V	220,000	280,000	420,000	
	SMNC-20-4M-H5	5,10,20,30,50,100 kg	1.0~1.5mV/V	220,000	280,000	420,000	
	SMNC-3M-20	50-500 N	1.0~1.5mV/V	310,000	390,000	590,000	
	SMNC-3M-25	100-500 N	1.0~1.5mV/V	310,000	390,000	590,000	
	SMNC-3M-32	1-10 KN	1.0~1.5mV/V	310,000	390,000	590,000	
	SMNC-3M-38	20-50 KN	1.0~1.5mV/V	310,000	390,000	590,000	
	SMNC-3M-51	60-120 KN	1.0~1.5mV/V	310,000	390,000	590,000	
	SMNC-305	10,15,20,25,30,50,75,100,150 KN	1.5~2mV/V	370,000	460,000	690,000	
	SMNC-40	50,100,200,300,500,1000,2000 kg	1.5~2mV/V	220,000	280,000	420,000	
	SMNC-50	0.5,1,2,3,5,10,20,30,50 KN	1.5mV/V	220,000	280,000	420,000	

### \* Column Force Sensor

(단위 : 원 /VAT 별도)


TYPE	Protection Class	출력값(output)	MODEL	대리점가	직판가	권장소비자가	비 고
	MC-605	10,20,50,100,200,500,1000 kg	2mV/V	390,000	490,000	740,000	
	MC-605A	10,20,50,100,200,500,1000 kg	2mV/V	390,000	490,000	740,000	
	MC-605B	10,20,50,100,200,500,1000 kg	2mV/V	390,000	490,000	740,000	

## (주)카스 미니어처로드셀 가격표




### \*S Type Force Sensor

(단위 : 원 /VAT 별도)

TYPE	Protection Class	출력값(output)	MODEL	대리점가	직판가	권장소비자가	비 고
 SBAT	SBAT-01B	1,2,3,5,10,20,30,50,75,100 kg	2mV/V	320,000	400,000	600,000	
	SBAT-02	2.5,5,10,20,30,50,100,2000 N	2mV/V	280,000	350,000	530,000	
	SBAT-08	100,200,300,500,750,1000,1500 kg 2000,3000,5000,10000,20000 kg	2mV/V	390,000	490,000	740,000	


### \*Miniature Tension & Compression Force Sensor

(단위 : 원 /VAT 별도)

TYPE	Protection Class	출력값(output)	MODEL	대리점가	직판가	권장소비자가	비 고
 SMNT	SMNT-13A	5,10,20,30,50 kg	1.0~1.5mV/V	280,000	350,000	530,000	
	SMNT-13B	5,10,20,30,50 kg	1.0~1.5mV/V	370,000	460,000	690,000	
	SMNT-13C	5,10,20,30,50,100 kg	1.0~1.5mV/V	370,000	460,000	690,000	
	SMNT-13D	200,300,500 kg	1.0~1.5mV/V	390,000	490,000	740,000	
	SMNT-25	1,2,3,5,10,20,50,100 kg	2mV/V	300,000	380,000	570,000	
	SMNT-34	50,100,200,300,500,750,1000 kg	1.5~2mV/V	320,000	400,000	600,000	
	SMNT-51K	0.5,1,2,3,5,10,20 KN	1.5~2mV/V	390,000	490,000	740,000	

### \* Single Point Force Sensor

(단위 : 원 /VAT 별도)


TYPE	Protection Class	출력값(output)	MODEL	대리점가	직판가	권장소비자가	비 고
 MNBC	MNBC-16	2,5,10,20,30,50 kg	1.5mV/V	370,000	460,000	690,000	

## (주)카스 미니어처로드셀 가격표




### \* Torque Sensor

(단위 : 원 /VAT 별도)

TYPE	Protection Class	출력값(output)	MODEL	대리점가	직판가	권장소비자가	비 고
 TQS	TQS-01	0.5,1,2,3,5,10,20,30,50,60 NM	2mV/V	320,000	400,000	600,000	
	TQS-02	1,2,3,5,10,20,30,50,100 NM	2mV/V	390,000	490,000	740,000	


### \* Multi Axis Sensor

(단위 : 원 /VAT 별도)

TYPE	Protection Class	출력값(output)	MODEL	대리점가	직판가	권장소비자가	비 고
 MASC	MASC-303B	X:5,10,20,50 kg Y:5,10,20,50 kg Z:5,10,20,50,100 kg	1.0~1.5mV/V	4,750,000	5,940,000	8,910,000	
	MASF-303M (Aluminum alloy)	X:5,10,20,30,50,100,200,300,500 kg Y:5,10,20,30,50,100,200,300,500 kg Z:10,20,30,50,100,200,500,1000 kg	1.0~1.5mV/V	4,950,000	6,190,000	9,290,000	
	MASF-303M (Steel alloy or Stainless steel)	X:300,500,1000,2000,2500 kg Y:300,500,1000,2000,2500 kg Z:500,1000,1500,2000,2500,3000	1.0~1.5mV/V	6,800,000	8,500,000	12,750,000	

### \* Universal Portable Dynamometer

(단위 : 원 /VAT 별도)

TYPE	Protection Class	출력값(output)	MODEL	대리점가	직판가	권장소비자가	비 고
 FG	FG-D01	160 x 70 x 36mm		610,000	760,000	1,140,000	

## (주)카스 로드셀 악세사리 가격표



\* Compression / 압축형

(단위 : 원 /VAT 별도)

TYPE	Material	MODEL	적용모델	대리점가	직판가	권장소비자가	비 고
CANISTER LOAD BUTTON	Steel	CC-ACC(20L~1T)	CC-20kg, 50kg, 100kg CC-300kg, 500kg, 1TON	40,000	50,000	70,000	LOADING부 ▼ LOAD BUTTON
		CC-ACC(2T~5T)	CC-2TON, 3TON, 5TON	75,000	90,000	126,000	
		CC-ACC(10T)	CC-10TON	90,000	110,000	154,000	
		CC-ACC(20T)	CC-20TON	230,000	300,000	420,000	
CANISTER BALL-TYPE	Steel	CC-ACC(20L~100L)	CC-20kg, 50kg, 100kg	50,000	70,000	98,000	LOADING부 ▼ BALL
		CC-ACC(200L~1T)	CC-200kg,300kg, 500kg, 1TON	50,000	70,000	98,000	
		CC-ACC(2T~5T)	CC-2TON, 3TON, 5TON	85,000	110,000	154,000	
		CC-ACC(10T)	CC-10TON	130,000	160,000	224,000	
		CC-ACC(20T)	CC-20TON	220,000	260,000	364,000	
CANISTER	Steel	HC-ACC(20T~30T)	HC-20TON, 30TON	300,000	340,000	476,000	
		HC-ACC(50T)	HC-50TON	450,000	500,000	700,000	
		HC-ACC(100T)	HC-100TON	600,000	680,000	952,000	
		HC-ACC(200T)	HC-200TON	900,000	1,000,000	1,400,000	

# (주)카스 로드셀 악세사리 가격표



LOW PROFILE LOAD BUTTON	Steel	LS-ACC(1T~3T)	LS-1TON, 2TON, 3TON	80,000	100,000	140,000	LOADING부 ▼ LOAD BUTTON
		LS-ACC(5T)	LS-5TON	90,000	110,000	154,000	
		LS-ACC(10T)	LS-10TON	100,000	120,000	168,000	
		LS-ACC(20T)	LS-20TON	140,000	160,000	224,000	
LOW PROFILE BALL-TYPE	Steel	LS-ACC(1T~3T)	LS-1TON, 2TON, 3TON	100,000	120,000	168,000	LOADING부 ▼ BALL
		LS-ACC(5T)	LS-5TON	110,000	130,000	182,000	
		LS-ACC(10T)	LS-10TON	120,000	140,000	196,000	
		LS-ACC(20T)	LS-20TON	160,000	190,000	266,000	
LOW PROFILE LOAD BUTTON	Stainless Steel	LSS-ACC(1T~3T)	LS-1TON, 2TON, 3TON	180,000	210,000	294,000	LOADING부 ▼ LOAD BUTTON
		LSS-ACC(5T)	LS-5TON	230,000	270,000	378,000	
		LSS-ACC(10T)	LS-10TON	350,000	400,000	560,000	
		LSS-ACC(20T)	LS-20TON	450,000	500,000	700,000	
LOW PROFILE BALL-TYPE	Stainless Steel	LSS-ACC(1T~3T)	LS-1TON, 2TON, 3TON	220,000	260,000	364,000	LOADING부 ▼ BALL
		LSS-ACC(5T)	LS-5TON	300,000	350,000	490,000	
		LSS-ACC(10T)	LS-10TON	420,000	500,000	700,000	
		LSS-ACC(20T)	LS-20TON	590,000	650,000	910,000	
BS	Steel	BS-ACC(500L~2T)	BS-500kg, 1TON, 2TON	30,000	40,000	56,000	
		BS-ACC(3T~5T)	BS-3TON, 5TON	60,000	70,000	98,000	
		BS-ACC(10T)	BS-10TON	80,000	90,000	126,000	

(주)카스 로드셀 악세사리 가격표



\* Compression / 압축형

(단위 : 원 /VAT 별도)

TYPE	Material	MODEL	적용모델	대리점가	직판가	권장소비자가	비 고
BSA, BSS	Steel	BSA-TW(LOW)	BSA-250kg, 500kg, 1Ton, 2Ton	85,000	100,000	140,000	
		BSA-TW(HIGH)	BSA-3Ton, 5Ton	120,000	140,000	196,000	
BSA, BSS	Stainless Steel	BSS-TW(LOW)	BSS-500kg, 1Ton, 2Ton	300,000	350,000	490,000	
		BSS-TW(HIGH)	BSS-3Ton 5Ton	450,000	500,000	700,000	
BSA, BSS BALL-TYPE	Steel	BSA-TWE(LOW)	BSA-250kg, 500kg, 1Ton, 2Ton	150,000	170,000	238,000	BALL
		BSA-TWE(HIGH)	BSA-3Ton, 5Ton	180,000	210,000	294,000	
BSA, BSS BALL-TYPE	Stainless Steel	BSA-TWE(LOW)	BSA-250kg, 500kg, 1Ton, 2Ton	350,000	400,000	560,000	BALL
		BSA-TWE(HIGH)	BSA-3Ton, 5Ton	460,000	500,000	700,000	
HBS BALL-TYPE	Steel	HBS-TWE(LOW)	HBS-20kg, 50kg, 100kg, 200kg, 500kg	90,000	100,000	140,000	BALL
HBS BALL-TYPE	Stainless Steel	HBS-TWE(LOW)	HBS-20kg, 50kg, 100kg, 200kg, 500kg	160,000	190,000	266,000	BALL

## (주)카스 로드셀 악세서리 가격표



\* Tension / 인장형

\*\* 인장형 악세서리는 카스주문사양으로 일반품 사용시 낙하사고 우려가 있음

(단위 : 원 /VAT 별도)

TYPE	Material	MODEL	적용모델	대리점가	직판가	권장소비자가	비 고
ROD END (인장형)	Steel	RE-6 (M6 * 1.0)	SBA-25kg, 50kg, 100kg	20,000	30,000	42,000	Set=> 2개 NUT포함
		RE-12A (M12 * 1.75)	SBA-200kg, 500kg, 1Ton SB-20kg,50kg,75kg,100kg,200kg,500kg	40,000	50,000	70,000	
		RE-12B (M12 * 1.25)	CT-20kg, 50kg, 100kg, 200kg, 300kg CTS/CT-500kg,1Ton	45,000	55,000	77,000	
		RE-16 (M16 * 2.0)	LS-1Ton, 2Ton, 3Ton	70,000	85,000	119,000	
		RE-18 (M18 * 1.5)	SBA-2Ton, 3Ton, 5Ton SB-1Ton, 2Ton / LS-5Ton	80,000	95,000	133,000	
		RE-24 (M24 * 2.0)	CTS/CT-2Ton, 3Ton, 5Ton LS-10Ton	400,000	450,000	630,000	
		RE-39 (M39 * 2.0)	CT-10Ton LS-20Ton, 30Ton	900,000	1,000,000	1,400,000	
		RE-50 (M50 * 2.0)	CT-20Ton	1,500,000	1,800,000	2,520,000	
MNT	Steel	MNT-ACC	MNT-50kg, 100kg, 200kg, 500kg	65,000	75,000	105,000	

## (주)카스 STRAIN GAGE 가격표

"XX" = "23" : Aluminum 재질에 사용

"XX" = "11" : Steel 재질에 사용



(단위 : 원 /VAT 별도)

\* 120 Ω S/G - EN (ENCAPSULTED GAGE)

TYPE	MODEL	주문수량	대리점가	직판가	권장소비자가	비고
		PCS/PACK				
LINEAR	AP-XX-S10S-120-E	10	20,000	30,000	40,000	
	AP-XX-S15S-120-E	10	20,000	30,000	40,000	
	AP-XX-S30N-120-E	10	20,000	30,000	40,000	
	AP-XX-S50N-120-E	10	20,000	30,000	40,000	
	AP-XX-S80N-120-E	10	20,000	30,000	40,000	
	AP-XX-S300N-120-E	10	30,000	45,000	60,000	
	AP-XX-S600N-120-E	10	40,000	60,000	80,000	
	AP-XX-S900N-120-E	10	50,000	75,000	100,000	
SHEAR	AP-XX-Q15N-120-E	10	30,000	45,000	60,000	
	AP-XX-Q30N-120-E	10	30,000	45,000	60,000	
TEE ROSETTE	AP-XX-T10S-120-E	5	20,000	30,000	40,000	
	AP-XX-T15S-120-E	5	20,000	30,000	40,000	
	AP-XX-T30S-120-E	5	20,000	30,000	40,000	
	AP-XX-TS10S-120-E	5	30,000	45,000	60,000	
	AP-XX-TS30N-120-E	5	30,000	45,000	60,000	
	AP-XX-TS50N-120-E	5	30,000	45,000	60,000	
3-ELEMENT ROSETTE	AP-XX-R10S-120-E	5	30,000	45,000	60,000	
	AP-XX-R15S-120-E	5	30,000	45,000	60,000	
	AP-XX-R30N-120-E	5	30,000	45,000	60,000	
	AP-XX-RS30N-120-E	5	45,000	67,000	90,000	
	AP-XX-RS50N-120-E	5	45,000	67,000	90,000	
STRIP GAGE	AP-XX-SH15S-120-E	5	100,000	150,000	200,000	
	AP-XX-SH30N-120-E	5	100,000	150,000	200,000	
	AP-XX-SV15S-120-E	5	100,000	150,000	200,000	
	AP-XX-SV30N-120-E	5	100,000	150,000	200,000	



## (주)카스 STRAIN GAGE 가격표

"XX" = "23" : Aluminum 재질에 사용

"XX" = "11" : Steel 재질에 사용



(단위 : 원 /VAT 별도)

\* 120 Ω S/G - EL (LEAD WIRE ATTACHED)

TYPE	MODEL	주문수량	대리점가	직판가	권장소비자가	비고
		PCS/PACK				
LINEAR	AP-XX-S10S-120-EL	10	25,000	37,000	50,000	
	AP-XX-S15S-120-EL	10	25,000	37,000	50,000	
	AP-XX-S30N-120-EL	10	25,000	37,000	50,000	
	AP-XX-S50N-120-EL	10	25,000	37,000	50,000	
	AP-XX-S80N-120-EL	10	25,000	37,000	50,000	
	AP-XX-S300N-120-EL	10	35,000	52,000	70,000	
	AP-XX-S600N-120-EL	10	45,000	67,000	90,000	
	AP-XX-S900N-120-EL	10	55,000	82,000	110,000	
SHEAR	AP-XX-Q15S-120-EL	10	35,000	52,000	70,000	
	AP-XX-Q30N-120-EL	10	35,000	52,000	70,000	
TEE ROSETTE	AP-XX-T10S-120-EL	5	25,000	37,000	50,000	
	AP-XX-T15S-120-EL	5	25,000	37,000	50,000	
	AP-XX-T30S-120-EL	5	25,000	37,000	50,000	
	AP-XX-TS10S-120-EL	5	35,000	52,000	70,000	
	AP-XX-TS30N-120-EL	5	35,000	52,000	70,000	
	AP-XX-TS50N-120-EL	5	35,000	52,000	70,000	
3-ELEMENT ROSETTE	AP-XX-R10S-120-EL	5	35,000	52,000	70,000	
	AP-XX-R15S-120-EL	5	35,000	52,000	70,000	
	AP-XX-R30N-120-EL	5	35,000	52,000	70,000	
	AP-XX-RS30N-120-EL	5	55,000	82,000	110,000	
	AP-XX-RS50N-120-EL	5	55,000	82,000	110,000	
STRIP GAGE	AP-XX-SH15S-120-EL	5	115,000	172,000	230,000	
	AP-XX-SH30N-120-EL	5	115,000	172,000	230,000	
	AP-XX-SV15S-120-EL	5	115,000	172,000	230,000	
	AP-XX-SV30N-120-EL	5	115,000	172,000	230,000	

## (주)카스 STRAIN GAGE 가격표

"XX" = "23" : Aluminum 재질에 사용

"XX" = "11" : Steel 재질에 사용



\* 120 Ω S/G - EC (1m CABLE ATTACHED)

(단위 : 원 /VAT 별도)

TYPE	MODEL	주문수량	대리점가	직판가	권장소비자가	비고
		PCS/PACK				
LINEAR	AP-XX-S10S-120-EC	10	35,000	52,000	70,000	
	AP-XX-S15S-120-EC	10	35,000	52,000	70,000	
	AP-XX-S30N-120-EC	10	35,000	52,000	70,000	
	AP-XX-S50N-120-EC	10	35,000	52,000	70,000	
	AP-XX-S80N-120-EC	10	35,000	52,000	70,000	
	AP-XX-S300N-120-EC	10	45,000	67,000	90,000	
	AP-XX-S600N-120-EC	10	55,000	82,000	110,000	
	AP-XX-S900N-120-EC	10	65,000	97,000	130,000	
SHEAR	AP-XX-Q15S-120-EC	10	45,000	67,000	90,000	
	AP-XX-Q30N-120-EC	10	45,000	67,000	90,000	
TEE ROSETTE	AP-XX-T10S-120-EC	5	30,000	45,000	60,000	
	AP-XX-T15S-120-EC	5	30,000	45,000	60,000	
	AP-XX-T30S-120-EC	5	30,000	45,000	60,000	
	AP-XX-TS10S-120-EC	5	40,000	60,000	80,000	
	AP-XX-TS30N-120-EC	5	40,000	60,000	80,000	
	AP-XX-TS50N-120-EC	5	40,000	60,000	80,000	
3-ELEMENT ROSETTE	AP-XX-R10S-120-EC	5	42,500	63,000	85,000	
	AP-XX-R15S-120-EC	5	42,500	63,000	85,000	
	AP-XX-R30N-120-EC	5	42,500	63,000	85,000	
	AP-XX-RS30N-120-EC	5	65,000	97,000	130,000	
	AP-XX-RS50N-120-EC	5	65,000	97,000	130,000	
STRIP GAGE	AP-XX-SH15S-120-EC	5	130,000	195,000	260,000	
	AP-XX-SH30N-120-EC	5	130,000	195,000	260,000	
	AP-XX-SV15S-120-EC	5	130,000	195,000	260,000	
	AP-XX-SV30N-120-EC	5	130,000	195,000	260,000	

## (주)카스 STRAIN GAGE 가격표

"XX" = "23" : Aluminum 재질에 사용

"XX" = "11" : Steel 재질에 사용



### \* 350 Ω S/G - EN (ENCAPSULTED GAGE)

(단위 : 원 /VAT 별도)

TYPE	MODEL	주문수량	대리점가	직판가	권장소비자가	비고
		PCS/PACK				
LINEAR	AP-XX-S15S-350-E	10	25,000	37,000	50,000	
	AP-XX-S15W-350-E	10	25,000	37,000	50,000	
	AP-XX-S20W-350-E	10	25,000	37,000	50,000	
	AP-XX-S20N-350-E	10	25,000	37,000	50,000	
	AP-XX-S30N-350-E	10	25,000	37,000	50,000	
	AP-XX-S30S-350-E	10	25,000	37,000	50,000	
SHEAR	AP-XX-Q30S-350-E	5	17,500	26,000	35,000	
	AP-XX-T15N-350-E	5	25,000	37,000	50,000	
	AP-XX-T20N-350-E	5	25,000	37,000	50,000	
	AP-XX-T25N-350-E	5	25,000	37,000	50,000	
	AP-XX-T30N-350-E	5	25,000	37,000	50,000	
DIAPHRAGM	AP-XX-D100-350-E	5	50,000	75,000	100,000	
	AP-XX-D130-350-E	5	50,000	75,000	100,000	
	AP-XX-D170-350-E	5	50,000	75,000	100,000	

### \* 350 Ω S/G - EL (LEAD WIRE ATTACHED)

(단위 : 원 /VAT 별도)

TYPE	MODEL	주문수량	대리점가	직판가	권장소비자가	비고
		PCS/PACK				
LINEAR	AP-XX-S15S-350-EL	10	30,000	45,000	60,000	
	AP-XX-S15W-350-EL	10	30,000	45,000	60,000	
	AP-XX-S20W-350-EL	10	30,000	45,000	60,000	
	AP-XX-S20N-350-EL	10	30,000	45,000	60,000	
	AP-XX-S30N-350-EL	10	30,000	45,000	60,000	
	AP-XX-S30S-350-EL	10	30,000	45,000	60,000	

## (주)카스 STRAIN GAGE 가격표

"XX" = "23" : Aluminum 재질에 사용

"XX" = "11" : Steel 재질에 사용



(단위 : 원 /VAT 별도)

### \* 350 Ω S/G - EL (LEAD WIRE ATTACHED)

TYPE	MODEL	주문수량	대리점가	직판가	권장소비자가	비고
		PCS/PACK				
SHEAR	AP-XX-Q30S-350-EL	5	20,000	30,000	40,000	
	AP-XX-T15N-350-EL	5	30,000	45,000	60,000	
	AP-XX-T20N-350-EL	5	30,000	45,000	60,000	
	AP-XX-T25N-350-EL	5	30,000	45,000	60,000	
	AP-XX-T30N-350-EL	5	30,000	45,000	60,000	
DIAPHRAGM	AP-XX-D100-350-EL	5	60,000	90,000	120,000	
	AP-XX-D130-350-EL	5	60,000	90,000	120,000	
	AP-XX-D170-350-EL	5	60,000	90,000	120,000	

### \* 350 Ω S/G - EC (1m CABLE ATTACHED)

(단위 : 원 /VAT 별도)

TYPE	MODEL	주문수량	대리점가	직판가	권장소비자가	비고
		PCS/PACK				
LINEAR	AP-XX-S15S-350-EC	10	40,000	60,000	80,000	
	AP-XX-S15W-350-EC	10	40,000	60,000	80,000	
	AP-XX-S20W-350-EC	10	40,000	60,000	80,000	
	AP-XX-S20N-350-EC	10	40,000	60,000	80,000	
	AP-XX-S30N-350-EC	10	40,000	60,000	80,000	
	AP-XX-S30S-350-EC	10	40,000	60,000	80,000	
SHEAR	AP-XX-Q30S-350-EC	5	25,000	37,000	50,000	
	AP-XX-T15N-350-EC	5	35,000	52,000	70,000	
	AP-XX-T20N-350-EC	5	35,000	52,000	70,000	
	AP-XX-T25N-350-EC	5	35,000	52,000	70,000	
	AP-XX-T30N-350-EC	5	35,000	52,000	70,000	
DIAPHRAGM	AP-XX-D100-350-EC	5	70,000	105,000	140,000	
	AP-XX-D130-350-EC	5	70,000	105,000	140,000	
	AP-XX-D170-350-EC	5	70,000	105,000	140,000	

## (주)카스 STRAIN GAGE 가격표

"XX" = "23" : Aluminum 재질에 사용

"XX" = "11" : Steel 재질에 사용



\* 1KΩ & 2KΩ S/G - E, EL, EC

(단위 : 원 /VAT 별도)

TYPE	MODEL	주문수량	대리점가	직판가	권장소비자가	비고
		PCS/PACK				
LINEAR	AP-XX-S30S-1K-E	10	40,000	60,000	80,000	EL (LEAD WIRE ATTACHED)
	AP-XX-S40S-2K-E	10	50,000	75,000	100,000	1000Ω OR 2000Ω
	AP-XX-S30S-1K-EL	10	50,000	75,000	100,000	EL (LEAD WIRE ATTACHED)
	AP-XX-S40S-2K-EL	10	60,000	90,000	120,000	1000Ω OR 2000Ω
	AP-XX-S30S-1K-EC	10	60,000	90,000	120,000	EC (1m CABLE ATTACHED)
	AP-XX-S40S-2K-EC	10	70,000	105,000	140,000	1000Ω OR 2000Ω

\* High Temperature K-Series S/G

(단위 : 원 /VAT 별도)

TYPE	MODEL	주문수량	대리점가	직판가	권장소비자가	비고
		PCS/PACK				
LINEAR	KP-11-S30S-350-E	10	90,000	135,000	180,000	EL (LEAD WIRE ATTACHED)
	KP-11-S40S-1K-E	10	100,000	150,000	200,000	350Ω OR 1000Ω
	KP-11-S30S-350-EL	10	100,000	150,000	200,000	EL (LEAD WIRE ATTACHED)
	KP-11-S40S-1K-EL	10	110,000	165,000	220,000	350Ω OR 1000Ω
	KP-11-S30S-350-EC	10	130,000	195,000	260,000	EC (1m CABLE ATTACHED)
	KP-11-S40S-1K-EC	10	140,000	210,000	280,000	350Ω OR 1000Ω

## (주)카스 STRAIN GAGE 가격표

"XX" = "23" : Aluminum 재질에 사용

"XX" = "11" : Steel 재질에 사용



(단위 : 원 /VAT 별도)

### \* STRAIN GAGE ACCESSORIES

TYPE	MODEL	주문수량	대리점가	직판가	권장소비자가	비고
		PCS/PACK				
SOLVENT CLEANERS	SC-1	30,000	45,000	45,000	60,000	
	SC-2	15,000	22,000	22,000	30,000	
	SC-3	15,000	22,000	22,000	30,000	
Water-Based Cleaners	ST-1	20,000	30,000	30,000	40,000	
	ST-2	16,000	24,000	24,000	32,000	
SURFACE TREATMENT	SA-1	20,000	30,000	30,000	40,000	
	SA-2	30,000	40,000	40,000	50,000	
TAPES	TP-1	25,000	37,000	37,000	50,000	Roll
	TP-3	30,000	45,000	45,000	60,000	Roll
ADHESIVES	BOND-1	120,000	180,000	180,000	240,000	1KIT 2병
	BOND-2	80,000	120,000	120,000	160,000	
WIRES & CABLES	WR-1	25,000	37,000	37,000	50,000	
	WR-2	10,000	15,000	15,000	20,000	
	WR-3	15,000	22,000	22,000	30,000	
PROTECTIVE	PC-1	10,000	15,000	15,000	20,000	
SOLDER	SD-1	60,000	90,000	90,000	120,000	
TERMINALS	TL1	15,000	22,000	22,000	30,000	
	TL2	20,000	30,000	30,000	40,000	
Soldering Station	SS-1	300,000	450,000	450,000	600,000	

# (주)카스 분동 가격표



\* 분동 (F1 CLASS)

(단위 : 원 /VAT 별도)

TYPE	MODEL	용량	대리점가	직판가	권장소비자가	비 고 (케이스재질)
	CMF-1mg	1mg	15,000	20,000	28,000	플라스틱
	CMF-2mg	2mg	15,000	20,000	28,000	
	CMF-5mg	5mg	15,000	20,000	28,000	
	CMF-10mg	10mg	15,000	20,000	28,000	
	CMF-20mg	20mg	15,000	20,000	28,000	
	CMF-50mg	50mg	15,000	20,000	28,000	
	CMF-100mg	100mg	15,000	20,000	28,000	
	CMF-200mg	200mg	15,000	20,000	28,000	
	CMF-500mg	500mg	15,000	20,000	28,000	
	CMF-1g	1g	15,000	20,000	28,000	
	CMF-2g	2g	18,000	23,000	32,200	
	CMF-5g	5g	21,000	25,000	35,000	
	CMF-10g	10g	23,000	30,000	42,000	
	CMF-20g	20g	30,000	40,000	56,000	
	CMF-50g	50g	36,000	45,000	63,000	
	CMF-100g	100g	42,000	60,000	84,000	
	CMF-200g	200g	48,000	65,000	91,000	
	CMF-500g	500g	54,000	70,000	98,000	
	CMF-1kg	1kg	132,000	150,000	210,000	
	CMF-2kg	2kg	168,000	200,000	280,000	
	CMF-5kg	5kg	288,000	350,000	490,000	
	CMF-10kg	10kg	540,000	650,000	910,000	
	CMF-20kg	20kg	780,000	900,000	1,260,000	알루미늄
	CMF-1mg~100g	21 pcs	360,000	450,000	630,000	
	CMF-1mg~200g	23 pcs	480,000	600,000	840,000	
	CMF-1mg~500g	24 pcs	540,000	700,000	980,000	
	CMF-1mg~1kg	25 pcs	660,000	850,000	1,190,000	
	CMF-1mg~2kg	27 pcs	960,000	120,000	168,000	
	CMF-1mg~5kg	28 pcs	1,200,000	1,500,000	2,100,000	
	CMF-1mg~10Kg	29 pcs	1,800,000	2,300,000	3,220,000	

## (주)카스 분동 가격표








* 분동 (CASE)						
TYPE	MODEL	용량	대리점가	직판가	권장소비자가	비 고
	CMC-100mg	1mg ~ 500mg(검용)	10,000	15,000	21,000	알루미늄
	CMC-1g	1g	10,000	15,000	21,000	
	CMC-2g	2g	10,000	15,000	21,000	
	CMC-5g	5g	10,000	15,000	21,000	
	CMC-10g	10g	10,000	15,000	21,000	
	CMC-20g	20g	10,000	15,000	21,000	
	CMC-50g	50g	10,000	15,000	21,000	
	CMC-100g	100g	10,000	15,000	21,000	
	CMC-200g	200g	10,000	15,000	21,000	
	CMC-500g	500g	15,000	20,000	28,000	
	CMC-1kg	1kg	20,000	25,000	35,000	
	CMC-2kg	2kg	25,000	30,000	42,000	
	CMC-5kg	5kg	40,000	50,000	70,000	
	CMC-10kg	10kg	60,000	75,000	105,000	
	CMC-20kg	20kg	80,000	100,000	140,000	
	CMC-1mg~100g	21 pcs	35,000	50,000	70,000	
	CMC-1mg~200g	23 pcs	45,000	60,000	84,000	
	CMC-1mg~500g	24 pcs	55,000	70,000	98,000	
	CMC-1mg~1kg	25 pcs	65,000	80,000	112,000	
	CMC-1mg~2kg	27 pcs	85,000	100,000	140,000	
	CMC-1mg~5kg	28 pcs	230,000	300,000	420,000	
	CMC-1mg~10kg	29 pcs	280,000	400,000	560,000	



## (주)카스 계측기 가격표



(단위 : 원 /VAT 별도)

* 카스 점도계, 비중계						
제품사진	NAME	MODEL	대리점가	직판가	소비자가	비 고
	점도계	CL-1	2,700,000	3,200,000	3,800,000	보급형
	OPTION	온도센서	130,000	150,000	200,000	
	점도계	CL-L2	3,100,000	3,700,000	4,500,000	일반형(저점도) RPM : 998EA 선택가능
		CL-R2	3,300,000	3,800,000	4,500,000	일반형(중점도) RPM : 998EA 선택가능
		CL-HA2	3,300,000	4,000,000	4,800,000	일반형(고점도) RPM : 998EA 선택가능
		CL-HB2	3,300,000	4,000,000	4,800,000	
	점도계	CL-3	4,200,000	5,000,000	6,000,000	고급형 7인치 컬러그래픽 터치스크린
	비중계	CD-V1	1,300,000	1,700,000	1,900,000	최대중량 : 610 g 분해능 : 0.01 g
	비중계	CD-V2	1,550,000	1,800,000	2,150,000	최대중량 : 210 g 분해능 : 0.001 g
	비중계	CD-V3	2,500,000	3,300,000	3,800,000	최대중량 : 220 g 분해능 : 0.0001 g

## (주)카스 헬스리빙 가격표









\* 주방저울

(단위 : 원 /VAT 별도)

제품사진	NAME	MODEL	대리점가	직판가	소비자가	비 고
	주방저울	CKW-11WT	42,000	50,000	70,000	
	주방저울	WZ-2D	46,000	55,000	77,000	
	주방저울	WZ-3A	38,000	46,000	64,000	
	주방저울	KE-500	35,000	40,000	50,000	
	주방저울	WK-4CII-5D	48,000	58,000	81,000	
	주방저울	WK-4CII	48,000	58,000	81,000	







## (주)카스 헬스리빙 가격표



	주방저울	CKS-5	53,000	64,000	90,000	
	주방저울	CKS-4	45,000	54,000	76,000	
	주방저울	CJS-60	105,000	126,000	176,000	
	주방저울	K11	23,000	28,000	40,000	
	주방저울	K12	37,000	42,000	55,000	
	주방저울	K18	37,000	42,000	55,000	


## (주)카스 헬스리빙 가격표



	커피저울	RE-700	23,000	28,000	39,000	
	커피저울	RE-900	32,000	38,000	53,000	
		DC150-1	44,000	53,000	74,000	
		DC200-1	68,000	82,000	115,000	
		DC150-2	52,000	62,000	87,000	
		DC200-2	83,000	100,000	140,000	

## (주)카스 헬스리빙 가격표



		IT600-1	60,000	72,000	101,000	
		IT700-1	66,000	79,000	111,000	
		FT-500	10,000	12,000	17,000	
		FT-700	9,000	11,000	15,000	
		FT-900	13,000	16,000	22,000	
		WPT-1	12,000	14,000	20,000	








## (주)카스 헬스리빙 가격표



		T014R	10,000	12,000	17,000	
		TE-303N	11,000	13,000	18,000	
		TE-303N PLUS	11,000	13,000	18,000	
		KT20	11,000	13,000	18,000	
		TE-501W	15,000	20,000	30,000	
		TE-501G	15,000	20,000	30,000	

## (주)카스 헬스리빙 가격표



		CLTR-100	25,000	30,000	42,000	
		CLTR-R	9,000	11,000	15,000	
		X14	20,000	25,000	35,000	
		X30	25,000	30,000	42,000	
		HE-68	15,000	18,000	25,000	
		X8	14,000	17,000	24,000	
		HE-82	18,000	22,000	31,000	